



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000035
Address 451 N CENTRAL AVENUE
Zip 30354
Technician Count 5

Name EMISSIONS ON CENTRAL
City HAPEVILLE
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 16 | 1 | 6.3% |

Station ID GA000056
Address 656 INDIAN TRAIL ROAD
Zip 30047
Technician Count 1

Name MID ISLAND ENTERPRISES INC
City LILBURN
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 13 | 0 | 0.0% |

Station ID GA000058
Address 2270 CASCADE ROAD
Zip 30311
Technician Count 4

Name CASCADE SERVICE CENTER
City ATLANTA
County FULTON
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 18 | 0 | 0.0% |

Station ID GA000060
Address 1145 HEMPHILL AVENUE NW
Zip 30318
Technician Count 6

Name MIDTOWN EMISSION INC
City ATLANTA
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 5 | 0 | 0.0% |
| 1992 | 11 | 2 | 18.2% |
| 1993 | 8 | 0 | 0.0% |
| 1994 | 17 | 1 | 5.9% |
| 1995 | 35 | 2 | 5.7% |
| Total: | 76 | 5 | 6.6% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000061
Address 3034 LAWRENCEVILLE SUWANEE ROAD
Zip 30024
Technician Count 4

Name NGE INC
City SUWANEE
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 12 | 3 | 25.0% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 23 | 4 | 17.4% |

Station ID GA000068
Address 10999 CRABAPPLE ROAD
Zip 30075
Technician Count 4

Name NORTH ROSWELL AUTOMOTIVE
City ROSWELL
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 8 | 0 | 0.0% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 23 | 0 | 0.0% |

Station ID GA000075
Address 556 ROSWELL STREET
Zip 30060
Technician Count 11

Name JETT SERVICE STATION INC
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 1 | 33.3% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 8 | 0 | 0.0% |
| 1995 | 13 | 1 | 7.7% |
| Total: | 31 | 2 | 6.5% |

Station ID GA000076
Address 2965 LOWER UNION HILL ROAD
Zip 30115
Technician Count 6

Name RICHARDS AUTOMOTIVE REPAIR
City CANTON
County CHEROKEE
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000090
Address 1122 NORTHLAKE DRIVE
Zip 30013
Technician Count 8

Name MIGHTY MUFFLER OF CONYERS INC
City CONYERS
County ROCKDALE
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 4 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 17 | 0 | 0.0% |

Station ID GA000101
Address 3334 MEMORIAL DRIVE
Zip 30032
Technician Count 5

Name VAN DOVER ENTERPRISES
City DECATUR
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1990 | 1 | 0 | 0.0% |
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 13 | 0 | 0.0% |

Station ID GA000106
Address 1580 LOWER ROSWELL ROAD
Zip 30068
Technician Count 3

Name RAPID ROTATION INC
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 4 | 1 | 25.0% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 18 | 1 | 5.6% |

Station ID GA000121
Address 838 VILLA RICA HIGHWAY
Zip 30157
Technician Count 1

Name DALLAS AUTO REPAIR
City DALLAS
County PAULDING
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000127
Address 3488 E PONCE DE LEON AVENUE
Zip 30079
Technician Count 3

Name ARE AUTO SERVICE INC
City SCOTSDALE
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 2 | 66.7% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 8 | 0 | 0.0% |
| Total: | 15 | 2 | 13.3% |

Station ID GA000131
Address 259 GRAYSON HIGHWAY
Zip 30046
Technician Count 1

Name NORTH METRO INSPECTIONS
City LAWRENCEVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 4 | 2 | 50.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 10 | 2 | 20.0% |
| Total: | 21 | 4 | 19.0% |

Station ID GA000137
Address 4401 TILLY MILL ROAD
Zip 30360
Technician Count 5

Name TILLY MILL AUTO SERVICE CENTER
City DORAVILLE
County DEKALB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 4 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 14 | 1 | 7.1% |
| 1995 | 9 | 0 | 0.0% |
| Total: | 29 | 1 | 3.4% |

Station ID GA000138
Address 4249 ROSWELL ROAD
Zip 30062
Technician Count 7

Name MERCHANTS WALK CHEVRON
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 12 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000144
Address 88 WOOLSEY ROAD
Zip 30228
Technician Count 4

Name RUSSEL'S AUTOMOTIVE INC
City HAMPTON
County HENRY
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 9 | 0 | 0.0% |

Station ID GA000152
Address 557 JOHNSON FERRY ROAD
Zip 30068
Technician Count 8

Name QUICK LUBE SERVICE CENTER LLC
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 9 | 0 | 0.0% |
| Total: | 20 | 0 | 0.0% |

Station ID GA000154
Address 307 CLAIREMONT AVENUE
Zip 30030
Technician Count 6

Name DECATUR TIRE AND SERVICE LLC
City DECATUR
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 2007 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA000163
Address 502 ATLANTA ROAD
Zip 30040
Technician Count 7

Name KEVIN HERBERT AUTOMOTIVE INC
City CUMMING
County FORSYTH
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| 2003 | 1 | 0 | 0.0% |
| Total: | 13 | 1 | 7.7% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000181
Address 2714 HIGHWAY 54 W
Zip 30269
Technician Count 2

Name SERVICE PLUS AUTOMOTIVE
City PEACHTREE CITY
County FAYETTE
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 5 | 0 | 0.0% |
| 1993 | 6 | 2 | 33.3% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 27 | 2 | 7.4% |

Station ID GA000194
Address 1280 POWDER SPRINGS ROAD
Zip 30064
Technician Count 4

Name PREMIER SERVICE CENTER - WEST COBB
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

Station ID GA000196
Address 25 HILL STREET
Zip 30075
Technician Count 4

Name HICKS AUTOMOTIVE
City ROSWELL
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1993 | 3 | 2 | 66.7% |
| 1994 | 9 | 3 | 33.3% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 18 | 5 | 27.8% |

Station ID GA000222
Address 299 DIVIDEND DRIVE
Zip 30269
Technician Count 8

Name EARLS QUALITY CAR CARE INC
City PEACHTREE CITY
County FAYETTE
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1993 | 3 | 0 | 0.0% |
| 1994 | 5 | 1 | 20.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 10 | 1 | 10.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|----------------------|--------------------|---|
| Station ID | GA000225 | Name | NATIONWIDE DISCOUNT MUFFLERS AND BRAKES INC |
| Address | 1694 SCOTT BOULEVARD | City | DECATUR |
| Zip | 30033 | County | DEKALB |
| Technician Count | 5 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 9 | 2 | 22.2% |
| Total: | 21 | 2 | 9.5% |

| | | | |
|-------------------------|--------------------------|--------------------|------------------------------|
| Station ID | GA000229 | Name | SPEED OIL CHANGE AND TUNE UP |
| Address | 11345 ALPHARETTA HIGHWAY | City | ROSWELL |
| Zip | 30076 | County | FULTON |
| Technician Count | 5 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 11 | 1 | 9.1% |

| | | | |
|-------------------------|------------------------|--------------------|-------------------------|
| Station ID | GA000231 | Name | MEISTER LEE AUTO REPAIR |
| Address | 1891 TERRELL MILL ROAD | City | MARIETTA |
| Zip | 30067 | County | COBB |
| Technician Count | 2 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 5 | 1 | 20.0% |
| Total: | 14 | 1 | 7.1% |

| | | | |
|-------------------------|-------------------------|--------------------|------------------|
| Station ID | GA000234 | Name | MCCURLEY'S SHELL |
| Address | 2080 N DRUID HILLS ROAD | City | ATLANTA |
| Zip | 30329 | County | DEKALB |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 2 | 1 | 50.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 8 | 1 | 12.5% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000251
Address 4784 LAWRENCEVILLE HIGHWAY NW
Zip 30047
Technician Count 2

Name LILBURN CHEVRON
City LILBURN
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |

Station ID GA000262
Address 2850 S MAIN STREET
Zip 30144
Technician Count 3

Name KENNESAW TIRE CO INC
City KENNESAW
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| 2005 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |

Station ID GA000313
Address 2100 FAIRBURN ROAD
Zip 30135
Technician Count 3

Name ABF MOTORS LTD
City DOUGLASVILLE
County DOUGLAS
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 8 | 1 | 12.5% |
| 1992 | 8 | 2 | 25.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 13 | 1 | 7.7% |
| Total: | 40 | 4 | 10.0% |

Station ID GA000341
Address 5127 BUFORD HIGHWAY
Zip 30340
Technician Count 3

Name OK AUTO SERVICE
City DORAVILLE
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
 Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|------------------------|--------------------|---------------------------------------|
| Station ID | GA000343 | Name | O'NEAL'S PHILLIP'S 66 SERVICE STATION |
| Address | 2129 ROOSEVELT HIGHWAY | City | COLLEGE PARK |
| Zip | 30337 | County | FULTON |
| Technician Count | 2 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 12 | 0 | 0.0% |

| | | | |
|-------------------------|--------------------|--------------------|-----------------------------------|
| Station ID | GA000352 | Name | BUDDY'S TIRE & SERVICE CENTER INC |
| Address | 9284 S MAIN STREET | City | JONESBORO |
| Zip | 30236 | County | CLAYTON |
| Technician Count | 5 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 5 | 2 | 40.0% |
| 1995 | 5 | 1 | 20.0% |
| Total: | 13 | 3 | 23.1% |

| | | | |
|-------------------------|------------------------|--------------------|----------------------|
| Station ID | GA000399 | Name | NORTH CANTON CHEVRON |
| Address | 50 RIVER STONE PARKWAY | City | CANTON |
| Zip | 30114 | County | CHEROKEE |
| Technician Count | 5 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 8 | 1 | 12.5% |
| 2008 | 1 | 0 | 0.0% |
| Total: | 29 | 1 | 3.4% |

| | | | |
|-------------------------|----------------------------|--------------------|---------------------|
| Station ID | GA000404 | Name | LILBURN AUTO CENTER |
| Address | 4450 LAWRENCEVILLE HIGHWAY | City | LILBURN |
| Zip | 30047 | County | GWINNETT |
| Technician Count | 3 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000411
Address 270 FAIRVIEW ROAD
Zip 30294
Technician Count 4

Name ONE STOP CAR CARE CENTER
City ELLENWOOD
County HENRY
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 8 | 0 | 0.0% |

Station ID GA000428
Address 704 WHITLOCK AVENUE
Zip 30064
Technician Count 2

Name WHITLOCK BP SERVICE CENTER
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 3 | 0 | 0.0% |
| 1995 | 3 | 2 | 66.7% |
| Total: | 6 | 2 | 33.3% |

Station ID GA000488
Address 3117 CANTON HIGHWAY
Zip 30040
Technician Count 3

Name SOONER MUFFLER BRAKE & AUTO REPAIR INC
City CUMMING
County FORSYTH
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 14 | 1 | 7.1% |

Station ID GA000493
Address 71 MCINTOSH TRAIL
Zip 30277
Technician Count 4

Name COWETA CAR CARE
City SHARPSBURG
County COWETA
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 1 | 50.0% |
| 1992 | 2 | 1 | 50.0% |
| 1993 | 5 | 1 | 20.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 1 | 0 | 0.0% |
| 2006 | 2 | 2 | 100.0% |
| Total: | 15 | 6 | 40.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000564
Address 145 WALKER PARKWAY
Zip 30214
Technician Count 1

Name AUTOFIXX INC
City FAYETTEVILLE
County FAYETTE
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 13 | 0 | 0.0% |
| Total: | 22 | 1 | 4.5% |

Station ID GA000578
Address 200 STEVENS ENTRY
Zip 30269
Technician Count 4

Name GRAHAM'S BP CAR CARE
City PEACHTREE CITY
County FAYETTE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1994 | 7 | 2 | 28.6% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 11 | 2 | 18.2% |

Station ID GA000608
Address 5690 OLD NATIONAL HIGHWAY
Zip 30349
Technician Count 4

Name ROBERT WILSON CAR CARE
City COLLEGE PARK
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 6 | 1 | 16.7% |
| 1993 | 9 | 2 | 22.2% |
| 1994 | 9 | 3 | 33.3% |
| 1995 | 16 | 1 | 6.3% |
| Total: | 43 | 8 | 18.6% |

Station ID GA000615
Address 2757 WESLEY CHAPEL ROAD
Zip 30034
Technician Count 2

Name FRAYS AUTO SERVICE
City DECATUR
County DEKALB
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 4 | 1 | 25.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 7 | 1 | 14.3% |
| 1995 | 12 | 1 | 8.3% |
| Total: | 28 | 3 | 10.7% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|-------------------|--------------------|--|
| Station ID | GA000637 | Name | MANNING & SON AUTOMOTIVE SALES & SERVICE |
| Address | 157 TEMPLE AVENUE | City | NEWNAN |
| Zip | 30263 | County | COWETA |
| Technician Count | 3 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 7 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------|--------------------|------------------------|
| Station ID | GA000650 | Name | COOPER LAKE AUTOMOTIVE |
| Address | 4739 S COBB DRIVE | City | SMYRNA |
| Zip | 30080 | County | COBB |
| Technician Count | 5 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 2002 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|------------------|
| Station ID | GA000696 | Name | URBAN AUTOMOTIVE |
| Address | 1621 CONNALLY DRIVE | City | EAST POINT |
| Zip | 30344 | County | FULTON |
| Technician Count | 3 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 2 | 0 | 0.0% |
| 1995 | 3 | 1 | 33.3% |
| Total: | 5 | 1 | 20.0% |

| | | | |
|-------------------------|-------------------------|--------------------|-------------------------------|
| Station ID | GA000726 | Name | K & M FOREIGN & DOMESTIC AUTO |
| Address | 2195 BRIARCLIFF ROAD NE | City | ATLANTA |
| Zip | 30329 | County | DEKALB |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1990 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 1 | 50.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 12 | 1 | 8.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000749
Address 887 BUFORD ROAD DRIVE
Zip 30043
Technician Count 4

Name SWANSONS AUTO BUYING SERVICE INC
City LAWRENCEVILLE
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 2 | 1 | 50.0% |
| 1996 | 1 | 0 | 0.0% |
| Total: | 13 | 1 | 7.7% |

Station ID GA000750
Address 4248 N HENRY BOULEVARD
Zip 30281
Technician Count 6

Name STOCKBRIDGE EMISSION CENTER
City STOCKBRIDGE
County HENRY
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 9 | 2 | 22.2% |
| 1995 | 7 | 2 | 28.6% |
| Total: | 23 | 4 | 17.4% |

Station ID GA000807
Address 3610 MATHIS AIRPORT PARKWAY
Zip 30024
Technician Count 4

Name MATHIS AUTO SERVICE INC
City SUWANEE
County FORSYTH
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 4 | 1 | 25.0% |
| Total: | 11 | 1 | 9.1% |

Station ID GA000833
Address 6464 HIGHWAY 85
Zip 30274
Technician Count 2

Name RIVERDALE EMISSION AND AUTOMOTIVE
City RIVERDALE
County CLAYTON
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 8 | 2 | 25.0% |
| 1996 | 1 | 0 | 0.0% |
| Total: | 21 | 3 | 14.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA000856
Address 1710 S COBB DRIVE
Zip 30060
Technician Count 1

Name A & W AUTOMOTIVE SERVICE
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|---------------|
| 1995 | 1 | 1 | 100.0% |
| Total: | 1 | 1 | 100.0% |

Station ID GA000897
Address 7297 TARA BOULEVARD
Zip 30236
Technician Count 3

Name BATTLECREEK BP
City JONESBORO
County CLAYTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 6 | 2 | 33.3% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 16 | 2 | 12.5% |

Station ID GA000938
Address 8155 ROSWELL ROAD
Zip 30350
Technician Count 2

Name AUTOMOTIVE FOREIGN SERVICES
City ATLANTA
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 4 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 8 | 1 | 12.5% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 22 | 2 | 9.1% |

Station ID GA000973
Address 3354 STONE MOUNTAIN HIGHWAY
Zip 30078
Technician Count 5

Name SNELLVILLE AUTO CENTER LLC
City SNELLVILLE
County GWINNETT
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|---------------------|--------------------|---------------------------|
| Station ID | GA000974 | Name | AUTO TECH & BODY WORK INC |
| Address | 3937 JONESBORO ROAD | City | FOREST PARK |
| Zip | 30297 | County | CLAYTON |
| Technician Count | 2 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |

| | | | |
|-------------------------|-----------------------|--------------------|---------------|
| Station ID | GA000975 | Name | LUBE 3000 INC |
| Address | 751 BUFORD ROAD DRIVE | City | LAWRENCEVILLE |
| Zip | 30043 | County | GWINNETT |
| Technician Count | 11 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 6 | 1 | 16.7% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 17 | 0 | 0.0% |
| 1995 | 16 | 2 | 12.5% |
| Total: | 46 | 3 | 6.5% |

| | | | |
|-------------------------|-----------------|--------------------|-------------------|
| Station ID | GA000993 | Name | PEEK'S GARAGE INC |
| Address | 510 MAIN STREET | City | PALMETTO |
| Zip | 30268 | County | COWETA |
| Technician Count | 3 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|--------------------------------|--------------------|-------------------|
| Station ID | GA001051 | Name | QUALITY EMISSIONS |
| Address | 1241 INDIAN TRAIL LILBURN ROAD | City | NORCROSS |
| Zip | 30093 | County | GWINNETT |
| Technician Count | 5 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 8 | 2 | 25.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 13 | 0 | 0.0% |
| 1995 | 14 | 1 | 7.1% |
| 1999 | 1 | 0 | 0.0% |
| Total: | 41 | 3 | 7.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001060
Address 1152 DEKALB AVENUE NE
Zip 30307
Technician Count 2

Name ROGER JORDAN GARAGE INC
City ATLANTA
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 4 | 1 | 25.0% |
| Total: | 6 | 1 | 16.7% |

Station ID GA001070
Address 5731 TRAMMELL ROAD
Zip 30260
Technician Count 3

Name MCGEE'S
City LAKE CITY
County CLAYTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 15 | 1 | 6.7% |
| 1995 | 7 | 2 | 28.6% |
| Total: | 30 | 3 | 10.0% |

Station ID GA001075
Address 2626 SHALLOWFORD ROAD
Zip 30345
Technician Count 2

Name RIGHT CAR
City ATLANTA
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA001079
Address 10885 JONES BRIDGE ROAD
Zip 30022
Technician Count 3

Name ALPHARETTA AUTO SERVICES CENTER
City JOHNS CREEK
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 8 | 0 | 0.0% |

Station ID GA001122
Address 10700 ALPHARETTA HIGHWAY
Zip 30076
Technician Count 7

Name ROSWELL AUTO CENTER
City ROSWELL
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 4 | 1 | 25.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 5 | 1 | 20.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001133
Address 5097 BUFORD HIGHWAY
Zip 30340
Technician Count 4

Name A K MOTOR TUNE
City DORAVILLE
County DEKALB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 2 | 1 | 50.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 15 | 4 | 26.7% |
| Total: | 19 | 5 | 26.3% |

Station ID GA001168
Address 4466 JONESBORO ROAD
Zip 30297
Technician Count 3

Name KLEEN AIR OF GEORGIA EMISSIONS
City FOREST PARK
County CLAYTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 5 | 2 | 40.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 12 | 1 | 8.3% |
| 1996 | 1 | 0 | 0.0% |
| Total: | 25 | 3 | 12.0% |

Station ID GA001171
Address 28 DODD STREET
Zip 30213
Technician Count 2

Name GOWEN'S AUTOMOTIVE REPAIRS LLC
City FAIRBURN
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA001188
Address 2178 SCENIC HIGHWAY
Zip 30078
Technician Count 1

Name ANDY'S MUFFLER & LUBE CENTER INC
City SNELLVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001189
Address 2200 POWDER SPRINGS ROAD
Zip 30064
Technician Count 2

Name GA EMISSIONS INC
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 4 | 2 | 50.0% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 11 | 3 | 27.3% |

Station ID GA001207
Address 2564 MAIN STREET W
Zip 30078
Technician Count 7

Name JIFFY LUBE # 365
City SNELLVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 16 | 0 | 0.0% |

Station ID GA001210
Address 3745 ATLANTA HIGHWAY
Zip 30606
Technician Count 6

Name JIFFY LUBE # 2111
City BOGART
County CLARKE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 5 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 20 | 0 | 0.0% |

Station ID GA001213
Address 5547 FLOYD ROAD
Zip 30126
Technician Count 6

Name JIFFY LUBE # 2116
City MABLETON
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001214
Address 2138 BRIARCLIFF ROAD
Zip 30329
Technician Count 14

Name JIFFY LUBE # 2118
City ATLANTA
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA001215
Address 5314 STONE MOUNTAIN HIGHWAY
Zip 30087
Technician Count 6

Name JIFFY LUBE # 2121
City STONE MOUNTAIN
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 3 | 1 | 33.3% |
| 1993 | 4 | 3 | 75.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 9 | 0 | 0.0% |
| Total: | 22 | 4 | 18.2% |

Station ID GA001216
Address 3541 SATELLITE BOULEVARD
Zip 30096
Technician Count 15

Name JIFFY LUBE # 2124
City DULUTH
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA001228
Address 6579 HIGHWAY 85
Zip 30274
Technician Count 11

Name JIFFY LUBE # 2109
City RIVERDALE
County CLAYTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 2 | 1 | 50.0% |
| 1999 | 1 | 0 | 0.0% |
| Total: | 3 | 1 | 33.3% |

Station ID GA001232
Address 9630 MEDLOCK BRIDGE ROAD
Zip 30097
Technician Count 11

Name JIFFY LUBE # 2179
City JOHNS CREEK
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001233
Address 2215 RIVERSIDE PARKWAY
Zip 30043
Technician Count 6

Name JIFFY LUBE # 2175
City LAWRENCEVILLE
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 5 | 1 | 20.0% |
| Total: | 10 | 2 | 20.0% |

Station ID GA001237
Address 5017 BUFORD HIGHWAY NE
Zip 30341
Technician Count 8

Name JIFFY LUBE # 2106
City CHAMBLEE
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 6 | 2 | 33.3% |
| 1995 | 2 | 1 | 50.0% |
| Total: | 8 | 3 | 37.5% |

Station ID GA001239
Address 5772 PEACHTREE BOULEVARD
Zip 30341
Technician Count 17

Name JIFFY LUBE # 2103
City CHAMBLEE
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 3 | 100.0% |
| Total: | 8 | 3 | 37.5% |

Station ID GA001251
Address 1247 S HAIRSTON ROAD
Zip 30083
Technician Count 9

Name JIFFY LUBE # 427
City STONE MOUNTAIN
County DEKALB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001255
Address 5559 PEACHTREE BOULEVARD
Zip 30341
Technician Count 6

Name JIFFY LUBE # 907
City CHAMBLEE
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |

Station ID GA001258
Address 360 GLYNN STREET N
Zip 30214
Technician Count 9

Name JIFFY LUBE # 2185
City FAYETTEVILLE
County FAYETTE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |

Station ID GA001287
Address 3322 PEACHTREE INDUSTRIAL BOULEVARD
Zip 30096
Technician Count 2

Name RIVERBEND TIRE & AUTO INC
City DULUTH
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

Station ID GA001300
Address 3425 PEACHTREE INDUSTRIAL BOULEVARD
Zip 30096
Technician Count 6

Name EXPRESS OIL CHANGE
City DULUTH
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA001325
Address 4141 SUGARLOAF PARKWAY
Zip 30044
Technician Count 4

Name METRO TIRE & AUTO CENTER SUGARLOAF INC
City LAWRENCEVILLE
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 1 | 100.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 4 | 1 | 25.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|--------------------|--------------------|--------------------------|
| Station ID | GA001387 | Name | ONE STOP CAR CARE CENTER |
| Address | 157 HAMPTON STREET | City | MCDONOUGH |
| Zip | 30253 | County | HENRY |
| Technician Count | 2 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

| | | | |
|-------------------------|------------------|--------------------|------------------------|
| Station ID | GA001397 | Name | RANDY'S AUTOMOTIVE INC |
| Address | 640 MERRITT ROAD | City | MARIETTA |
| Zip | 30062 | County | COBB |
| Technician Count | 3 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 7 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|--------------------------------|
| Station ID | GA001401 | Name | BUTLER AUTOMOTIVE SERVICES INC |
| Address | 516 SMYRNA ROAD S W | City | CONYERS |
| Zip | 30012 | County | ROCKDALE |
| Technician Count | 1 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------|--------------------|----------------------------|
| Station ID | GA001403 | Name | WILMOTT'S EMISSION TESTING |
| Address | 2688 AUSTELL ROAD | City | MARIETTA |
| Zip | 30008 | County | COBB |
| Technician Count | 1 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 2 | 100.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 5 | 1 | 20.0% |
| 1995 | 8 | 0 | 0.0% |
| Total: | 17 | 3 | 17.6% |

| | | | |
|-------------------------|------------------|--------------------|----------------------|
| Station ID | GA001458 | Name | QUICK PASS EMISSIONS |
| Address | 2911 PANOLA ROAD | City | LITHONIA |
| Zip | 30038 | County | DEKALB |
| Technician Count | 4 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 6 | 2 | 33.3% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 9 | 2 | 22.2% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001472
Address 765 S COBB DRIVE SE
Zip 30060
Technician Count 7

Name AMERICAN DRIVESHAFT SERVICES INC
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1990 | 1 | 0 | 0.0% |
| 1991 | 3 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 14 | 0 | 0.0% |
| 1994 | 13 | 3 | 23.1% |
| 1995 | 23 | 2 | 8.7% |
| 1998 | 1 | 0 | 0.0% |
| 2006 | 1 | 1 | 100.0% |
| Total: | 60 | 6 | 10.0% |

Station ID GA001475
Address 1134 SYLVAN ROAD
Zip 30310
Technician Count 3

Name M & M MUFFLER & AUTO SERVICE
City ATLANTA
County FULTON
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 7 | 2 | 28.6% |
| 1993 | 18 | 0 | 0.0% |
| 1994 | 20 | 1 | 5.0% |
| 1995 | 15 | 2 | 13.3% |
| Total: | 61 | 5 | 8.2% |

Station ID GA001486
Address 504 JONESBORO ROAD
Zip 30253
Technician Count 3

Name RAINBOW MUFFLER
City MCDONOUGH
County HENRY
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 2 | 0 | 0.0% |
| 1994 | 5 | 1 | 20.0% |
| 1995 | 12 | 3 | 25.0% |
| Total: | 19 | 4 | 21.1% |

Station ID GA001488
Address 6020 BUFORD HIGHWAY
Zip 30071
Technician Count 1

Name MICHAEL PHAN'S AUTO REPAIR
City NORCROSS
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 5 | 1 | 20.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001496
Address 1050 CHARLES HARDY PARKWAY
Zip 30141
Technician Count 5

Name KWIK CHEK EMISSIONS LLC
City HIRAM
County PAULDING
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 5 | 0 | 0.0% |
| 1993 | 9 | 1 | 11.1% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 13 | 2 | 15.4% |
| 2006 | 2 | 2 | 100.0% |
| Total: | 36 | 5 | 13.9% |

Station ID GA001523
Address 2188 SCENIC HIGHWAY
Zip 30078
Technician Count 2

Name GRAYSON AUTOMOTIVE
City SNELLVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1995 | 5 | 1 | 20.0% |
| Total: | 5 | 1 | 20.0% |

Station ID GA001529
Address 1375 HIRAM DOUGLASVILLE HIGHWAY
Zip 30141
Technician Count 6

Name KWIK CHEK LLC
City HIRAM
County PAULDING
Audit Count 11

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| 2006 | 1 | 1 | 100.0% |
| Total: | 10 | 2 | 20.0% |

Station ID GA001534
Address 3450B CASCADE ROAD
Zip 30311
Technician Count 1

Name ALL VEHICLES WELCOME EMISSIONS
City ATLANTA
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 7 | 1 | 14.3% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 17 | 2 | 11.8% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|-----------------------------|--------------------|-------------------------|
| Station ID | GA001538 | Name | MOUNTAIN EAST EMISSIONS |
| Address | 1520 E PARK PLACE BOULEVARD | City | STONE MOUNTAIN |
| Zip | 30087 | County | GWINNETT |
| Technician Count | 3 | Audit Count | 9 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 4 | 1 | 25.0% |
| 1995 | 9 | 1 | 11.1% |
| Total: | 19 | 2 | 10.5% |

| | | | |
|-------------------------|----------------------|--------------------|-------------------|
| Station ID | GA001539 | Name | EL GATO EMISSIONS |
| Address | 5615 ATLANTA HIGHWAY | City | ALPHARETTA |
| Zip | 30004 | County | FORSYTH |
| Technician Count | 3 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 4 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 15 | 2 | 13.3% |
| 1995 | 21 | 1 | 4.8% |
| Total: | 44 | 3 | 6.8% |

| | | | |
|-------------------------|-----------------------|--------------------|------------------------------|
| Station ID | GA001563 | Name | R.M. KITCHENS AUTOMOTIVE INC |
| Address | 208 GREENVILLE STREET | City | NEWNAN |
| Zip | 30263 | County | COWETA |
| Technician Count | 2 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001578
Address 4390 MEMORIAL DRIVE
Zip 30032
Technician Count 7

Name ONE STOP EMISSIONS
City DECATUR
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|-----------|--------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 8 | 1 | 12.5% |
| 1993 | 11 | 3 | 27.3% |
| 1994 | 22 | 4 | 18.2% |
| 1995 | 31 | 5 | 16.1% |
| Total: | 75 | 13 | 17.3% |

Station ID GA001580
Address 4303 LAVISTA ROAD
Zip 30084
Technician Count 1

Name BRAKE MASTER
City TUCKER
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 2005 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA001596
Address 2899 EVANS MILL ROAD
Zip 30038
Technician Count 3

Name CRYSTAL CLEAR EMISSION INC
City LITHONIA
County DEKALB
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 14 | 1 | 7.1% |

Station ID GA001610
Address 11370 STATE BRIDGE ROAD
Zip 30022
Technician Count 3

Name SHELL FOOD MART & EMISSIONS
City ALPHARETTA
County FULTON
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|---------------------|--------------------|-------------------------------------|
| Station ID | GA001612 | Name | DICKERSONS AUTOMOTIVE REPAIR CENTER |
| Address | 1494 OLD SALEM ROAD | City | CONYERS |
| Zip | 30013 | County | ROCKDALE |
| Technician Count | 7 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1996 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|-------------------|
| Station ID | GA001621 | Name | WING AUTO SERVICE |
| Address | 4034 BUFORD HIGHWAY | City | CHAMBLEE |
| Zip | 30345 | County | DEKALB |
| Technician Count | 3 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 6 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|---------------------------------|
| Station ID | GA001624 | Name | RALLYE AUTO SALES AND FINANCING |
| Address | 3878 BUFORD HIGHWAY | City | ATLANTA |
| Zip | 30329 | County | DEKALB |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------------|--------------------|---------------------|
| Station ID | GA001628 | Name | EMBRY HILLS CHEVRON |
| Address | 3530 CHAMBLEE TUCKER ROAD | City | CHAMBLEE |
| Zip | 30341 | County | DEKALB |
| Technician Count | 4 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 2 | 1 | 50.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 9 | 1 | 11.1% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001645
Address 1077 HAGOOD CIRCLE
Zip 30062
Technician Count 2

Name GINO AUTO SERVICE
City MARIETTA
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 10 | 0 | 0.0% |

Station ID GA001648
Address 1899 CHESHIRE BRIDGE ROAD
Zip 30324
Technician Count 9

Name ALL SEASON EMISSION
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 4 | 0 | 0.0% |
| 1992 | 6 | 0 | 0.0% |
| 1993 | 14 | 0 | 0.0% |
| 1994 | 22 | 0 | 0.0% |
| 1995 | 47 | 3 | 6.4% |
| 2000 | 1 | 0 | 0.0% |
| Total: | 94 | 3 | 3.2% |

Station ID GA001651
Address 3860 S COBB DRIVE
Zip 30080
Technician Count 9

Name WADE FORD INC
City SMYRNA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA001660
Address 1438 OLD SALEM ROAD
Zip 30013
Technician Count 4

Name MINUTE EMISSIONS II
City CONYERS
County ROCKDALE
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 8 | 2 | 25.0% |
| 1995 | 10 | 1 | 10.0% |
| Total: | 25 | 3 | 12.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001675
Address 3961 LAWRENCEVILLE HIGHWAY
Zip 30084
Technician Count 5

Name IRTR INC
City TUCKER
County DEKALB
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 10 | 4 | 40.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 11 | 2 | 18.2% |
| 2005 | 1 | 0 | 0.0% |
| Total: | 34 | 6 | 17.6% |

Station ID GA001680
Address 4210 JONESBORO ROAD
Zip 30297
Technician Count 2

Name CERTIFIED AUTO REPAIR EXPERT INC
City FOREST PARK
County CLAYTON
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 7 | 2 | 28.6% |
| Total: | 14 | 2 | 14.3% |

Station ID GA001690
Address 3555 MEMORIAL DRIVE
Zip 30032
Technician Count 10

Name DEKRA EMISSION CHECK
City DECATUR
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 6 | 0 | 0.0% |
| 1993 | 8 | 0 | 0.0% |
| 1994 | 11 | 1 | 9.1% |
| 1995 | 20 | 3 | 15.0% |
| 1997 | 1 | 1 | 100.0% |
| Total: | 48 | 5 | 10.4% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001691
Address 2932 CANTON ROAD
Zip 30062
Technician Count 10

Name DEKRA EMISSION CHECK
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1990 | 1 | 0 | 0.0% |
| 1991 | 4 | 0 | 0.0% |
| 1992 | 6 | 1 | 16.7% |
| 1993 | 10 | 1 | 10.0% |
| 1994 | 13 | 0 | 0.0% |
| 1995 | 33 | 2 | 6.1% |
| Total: | 67 | 4 | 6.0% |

Station ID GA001692
Address 10675 ALPHARETTA HIGHWAY
Zip 30076
Technician Count 13

Name DEKRA EMISSION CHECK
City ROSWELL
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 16 | 1 | 6.3% |
| 1994 | 25 | 1 | 4.0% |
| 1995 | 19 | 0 | 0.0% |
| 2011 | 2 | 1 | 50.0% |
| Total: | 68 | 3 | 4.4% |

Station ID GA001695
Address 2745 SANDY PLAINS ROAD
Zip 30066
Technician Count 16

Name DEKRA EMISSION CHECK
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 3 | 1 | 33.3% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 10 | 0 | 0.0% |
| 1995 | 17 | 0 | 0.0% |
| 1999 | 1 | 0 | 0.0% |
| Total: | 39 | 1 | 2.6% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001698
Address 1280 JOHNSON FERRY ROAD
Zip 30068
Technician Count 11

Name DEKRA EMISSION CHECK
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 13 | 1 | 7.7% |
| 1995 | 17 | 0 | 0.0% |
| Total: | 37 | 1 | 2.7% |

Station ID GA001701
Address 3301 NORTHLAKE PARKWAY
Zip 30345
Technician Count 13

Name DEKRA EMISSION CHECK
City ATLANTA
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 7 | 1 | 14.3% |
| 1994 | 5 | 1 | 20.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 24 | 2 | 8.3% |

Station ID GA001702
Address 7046 JIMMY CARTER BOULEVARD
Zip 30092
Technician Count 14

Name DEKRA EMISSION CHECK
City PEACHTREE CORNERS
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 3 | 1 | 33.3% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 20 | 2 | 10.0% |

Station ID GA001703
Address 4120 BUFORD HIGHWAY
Zip 30345
Technician Count 6

Name DEKRA EMISSION CHECK
City ATLANTA
County DEKALB
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 4 | 1 | 25.0% |
| 1993 | 8 | 0 | 0.0% |
| 1994 | 10 | 0 | 0.0% |
| 1995 | 27 | 3 | 11.1% |
| Total: | 50 | 4 | 8.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001704
Address 8560 HOLCOMB BRIDGE ROAD
Zip 30022
Technician Count 12

Name DEKRA EMISSION CHECK
City ALPHARETTA
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 12 | 2 | 16.7% |
| 1993 | 13 | 1 | 7.7% |
| 1994 | 8 | 0 | 0.0% |
| 1995 | 22 | 0 | 0.0% |
| Total: | 57 | 3 | 5.3% |

Station ID GA001713
Address 10640 ALPHARETTA HIGHWAY
Zip 30076
Technician Count 10

Name JIFFY LUBE # 2115
City ROSWELL
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|-----------|--------------|
| 1990 | 1 | 1 | 100.0% |
| 1991 | 8 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 11 | 4 | 36.4% |
| 1994 | 20 | 8 | 40.0% |
| 1995 | 22 | 5 | 22.7% |
| Total: | 66 | 18 | 27.3% |

Station ID GA001714
Address 445 HIGHWAY 29 N
Zip 30263
Technician Count 7

Name EMISSIONS TO GO
City NEWNAN
County COWETA
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 15 | 1 | 6.7% |
| 1994 | 13 | 2 | 15.4% |
| 1995 | 13 | 0 | 0.0% |
| Total: | 48 | 4 | 8.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|---------------------|--------------------|---------------------------|
| Station ID | GA001731 | Name | KENNESAW EMISSIONS CENTER |
| Address | 2514 COBB PARKWAY N | City | KENNESAW |
| Zip | 30152 | County | COBB |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 5 | 1 | 20.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 9 | 0 | 0.0% |
| 1994 | 13 | 0 | 0.0% |
| 1995 | 24 | 2 | 8.3% |
| Total: | 54 | 3 | 5.6% |

| | | | |
|-------------------------|-----------------------|--------------------|-----------------------------------|
| Station ID | GA001735 | Name | RICK'S PRO EMISSIONS AND TIRE LLC |
| Address | 3247 MARIETTA HIGHWAY | City | CANTON |
| Zip | 30114 | County | CHEROKEE |
| Technician Count | 5 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 8 | 2 | 25.0% |
| 1994 | 9 | 1 | 11.1% |
| 1995 | 7 | 0 | 0.0% |
| Total: | 28 | 3 | 10.7% |

| | | | |
|-------------------------|---------------------------|--------------------|--------------------------|
| Station ID | GA001740 | Name | ALLAN VIGIL FORD LINCOLN |
| Address | 6790 MOUNT ZION BOULEVARD | City | MORROW |
| Zip | 30260 | County | CLAYTON |
| Technician Count | 9 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

| | | | |
|-------------------------|------------------|--------------------|-----------------------|
| Station ID | GA001748 | Name | GIVENS AUTO EMISSIONS |
| Address | 1955 CANTON ROAD | City | MARIETTA |
| Zip | 30066 | County | COBB |
| Technician Count | 4 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| 2005 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001749
Address 3103 ROSWELL ROAD
Zip 30062
Technician Count 6

Name QUICK LUBE
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1995 | 2 | 1 | 50.0% |
| Total: | 3 | 1 | 33.3% |

Station ID GA001751
Address 4704 WOODSTOCK ROAD
Zip 30075
Technician Count 13

Name DEKRA EMISSION CHECK
City ROSWELL
County COBB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 10 | 1 | 10.0% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 30 | 1 | 3.3% |

Station ID GA001769
Address 7325 HICKORY FLAT HIGHWAY
Zip 30188
Technician Count 3

Name SOUTH FLATS AUTOMOTIVE LTD
City WOODSTOCK
County CHEROKEE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 5 | 0 | 0.0% |

Station ID GA001770
Address 40 C. W. SIMS ROAD
Zip 30141
Technician Count 5

Name HIRAM EMISSION CENTER
City HIRAM
County PAULDING
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 8 | 0 | 0.0% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 20 | 1 | 5.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|----------------------|--------------------|-------------------------------|
| Station ID | GA001775 | Name | THE WAVE CAR WASH & EMISSIONS |
| Address | 5860 BETHELVIEW ROAD | City | CUMMING |
| Zip | 30040 | County | FORSYTH |
| Technician Count | 1 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|-----------------------|
| Station ID | GA001777 | Name | \$20 EMISSION EXPRESS |
| Address | 550 BARRETT PARKWAY | City | KENNESAW |
| Zip | 30144 | County | COBB |
| Technician Count | 4 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 6 | 1 | 16.7% |
| 1995 | 5 | 2 | 40.0% |
| Total: | 17 | 3 | 17.6% |

| | | | |
|-------------------------|------------------------|--------------------|----------------------------------|
| Station ID | GA001782 | Name | JOEY WATKINS TIRE AND AUTOMOTIVE |
| Address | 2743 BRASELTON HIGHWAY | City | DACULA |
| Zip | 30019 | County | GWINNETT |
| Technician Count | 3 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 6 | 0 | 0.0% |

| | | | |
|-------------------------|----------------------|--------------------|----------------------|
| Station ID | GA001790 | Name | CUMMING EXPRESS LUBE |
| Address | 1412 ATLANTA HIGHWAY | City | CUMMING |
| Zip | 30040 | County | FORSYTH |
| Technician Count | 5 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 13 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001804
Address 2103 WINDER HIGHWAY
Zip 30019
Technician Count 1

Name B & B CAR CARE
City DACULA
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1995 | 4 | 1 | 25.0% |
| Total: | 7 | 1 | 14.3% |

Station ID GA001807
Address 3731 AUSTELL ROAD
Zip 30008
Technician Count 2

Name B.W. EMISSION TESTING
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 7 | 3 | 42.9% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 13 | 3 | 23.1% |
| Total: | 30 | 6 | 20.0% |

Station ID GA001808
Address 6159 ROSWELL ROAD
Zip 30328
Technician Count 5

Name EZMISSIONS.COM
City SANDY SPRINGS
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 5 | 1 | 20.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 13 | 4 | 30.8% |
| 1994 | 14 | 1 | 7.1% |
| 1995 | 32 | 3 | 9.4% |
| 2001 | 2 | 0 | 0.0% |
| Total: | 68 | 9 | 13.2% |

Station ID GA001862
Address 5810 ROSWELL ROAD
Zip 30328
Technician Count 5

Name MCCULLOUGH AUTO CARE
City SANDY SPRINGS
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 14 | 1 | 7.1% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001897
Address 4612-3 AUSTELL ROAD
Zip 30106
Technician Count 3

Name AUSTELL EMISSION CENTER
City AUSTELL
County COBB
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 4 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 15 | 0 | 0.0% |
| 1995 | 9 | 1 | 11.1% |
| Total: | 35 | 1 | 2.9% |

Station ID GA001898
Address 1651 BEAVER RUIN ROAD
Zip 30093
Technician Count 4

Name SCENIC EMISSIONS LLC
City NORCROSS
County GWINNETT
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA001901
Address 686 1/2 POWDER SPRINGS STREET
Zip 30064
Technician Count 9

Name DEKRA EMISSION CHECK
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 9 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 13 | 0 | 0.0% |
| 1995 | 13 | 3 | 23.1% |
| Total: | 42 | 3 | 7.1% |

Station ID GA001903
Address 1246 BUFORD HIGHWAY
Zip 30041
Technician Count 5

Name EXPRESS EMISSION TEST
City CUMMING
County FORSYTH
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1996 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001905
Address 5469 RIVERDALE ROAD
Zip 30349
Technician Count 3

Name KLEEN AIR OF GEORGIA EMISSIONS III
City COLLEGE PARK
County CLAYTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1990 | 1 | 1 | 100.0% |
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 7 | 1 | 14.3% |
| 1995 | 16 | 6 | 37.5% |
| Total: | 31 | 8 | 25.8% |

Station ID GA001937
Address 2375 WESLEY CHAPEL ROAD
Zip 30035
Technician Count 11

Name DEKRA EMISSION CHECK
City DECATUR
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 15 | 1 | 6.7% |
| 1994 | 25 | 1 | 4.0% |
| 1995 | 25 | 0 | 0.0% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 70 | 2 | 2.9% |

Station ID GA001938
Address 4875 HANNAH STREET
Zip 30518
Technician Count 5

Name GEORGIA EMISSIONS ONE INC
City SUGAR HILL
County GWINNETT
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1990 | 1 | 0 | 0.0% |
| 1991 | 2 | 0 | 0.0% |
| 1992 | 6 | 0 | 0.0% |
| 1993 | 11 | 2 | 18.2% |
| 1994 | 17 | 2 | 11.8% |
| 1995 | 18 | 3 | 16.7% |
| 1999 | 1 | 0 | 0.0% |
| 2005 | 4 | 2 | 50.0% |
| Total: | 60 | 9 | 15.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001943
Address 2108 METROPOLITAN PARKWAY
Zip 30315
Technician Count 3

Name LAKEWOOD EMISSIONS
City ATLANTA
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 6 | 1 | 16.7% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 13 | 2 | 15.4% |
| 1995 | 19 | 4 | 21.1% |
| Total: | 46 | 7 | 15.2% |

Station ID GA001962
Address 3505 BUFORD HIGHWAY
Zip 30096
Technician Count 2

Name CASON EMISSION
City DULUTH
County GWINNETT
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1993 | 5 | 1 | 20.0% |
| 1994 | 17 | 1 | 5.9% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 34 | 2 | 5.9% |

Station ID GA001966
Address 890 FRANKLIN ROAD
Zip 30067
Technician Count 2

Name FRANKLIN AUTO REPAIR
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

Station ID GA001967
Address 5600 BUFORD HIGHWAY
Zip 30340
Technician Count 5

Name MSM AUTO EMISSIONS INC
City DORAVILLE
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 7 | 1 | 14.3% |
| 1994 | 6 | 1 | 16.7% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 20 | 2 | 10.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|--------------------------|--------------------|--|
| Station ID | GA001981 | Name | ADAMSON AUTOMOTIVE SALES SERVICE & EMISSIONS |
| Address | 2549 OLD REX MORROW ROAD | City | ELLENWOOD |
| Zip | 30294 | County | CLAYTON |
| Technician Count | 2 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 5 | 1 | 20.0% |
| 1994 | 6 | 1 | 16.7% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 15 | 2 | 13.3% |

| | | | |
|-------------------------|-----------------------|--------------------|----------------------------|
| Station ID | GA001988 | Name | MVP GERMAN AUTO SPECIALIST |
| Address | 4633 HUGH HOWELL ROAD | City | TUCKER |
| Zip | 30084 | County | DEKALB |
| Technician Count | 1 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 4 | 1 | 25.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 7 | 1 | 14.3% |

| | | | |
|-------------------------|-----------------------|--------------------|--------------------|
| Station ID | GA001989 | Name | EMISSION ACTION II |
| Address | 4113 BANKHEAD HIGHWAY | City | DOUGLASVILLE |
| Zip | 30134 | County | DOUGLAS |
| Technician Count | 7 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 14 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------|--------------------|--------------------|
| Station ID | GA001993 | Name | EXECUTIVE CAR WASH |
| Address | 3471 COBB PARKWAY | City | ACWORTH |
| Zip | 30101 | County | COBB |
| Technician Count | 5 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 1 | 1 | 100.0% |
| Total: | 6 | 1 | 16.7% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA001994
Address 6856 HIGHWAY 85
Zip 30274
Technician Count 7

Name CAR SPA
City RIVERDALE
County CLAYTON
Audit Count 9

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA001995
Address 10440 ALPHARETTA STREET
Zip 30075
Technician Count 8

Name CAR SPA INC
City ROSWELL
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA001996
Address 157 NORTH AVENUE
Zip 30308
Technician Count 9

Name ALL SEASON EMISSION
City ATLANTA
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 1 | 33.3% |
| Total: | 4 | 1 | 25.0% |

Station ID GA002005
Address 3471 BARRETT PARKWAY
Zip 30064
Technician Count 7

Name PIEDMONT LUBE CENTERS LLC
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1995 | 5 | 3 | 60.0% |
| Total: | 8 | 3 | 37.5% |

Station ID GA002014
Address 1707 CHURCH STREET
Zip 30033
Technician Count 5

Name DAD'S EMISSIONS LLC
City DECATUR
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 1 | 50.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 8 | 1 | 12.5% |
| 1994 | 11 | 1 | 9.1% |
| 1995 | 18 | 0 | 0.0% |
| 1999 | 1 | 1 | 100.0% |
| Total: | 42 | 4 | 9.5% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002023
Address 6355 JIMMY CARTER BOULEVARD
Zip 30071
Technician Count 4

Name HM EMISSIONS INC
City NORCROSS
County GWINNETT
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1993 | 6 | 1 | 16.7% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 18 | 1 | 5.6% |

Station ID GA002026
Address 5261 LAWRENCEVILLE HIGHWAY
Zip 30047
Technician Count 2

Name STOP & WATCH EMISSIONS
City LILBURN
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 14 | 0 | 0.0% |
| 1994 | 12 | 2 | 16.7% |
| 1995 | 20 | 2 | 10.0% |
| Total: | 51 | 4 | 7.8% |

Station ID GA002032
Address 3345 LAWRENCEVILLE HIGHWAY
Zip 30044
Technician Count 1

Name CERTIFIED PERFORMANCE
City LAWRENCEVILLE
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA002043
Address 1858 SCENIC HIGHWAY
Zip 30078
Technician Count 14

Name EXPRESS OIL CHANGE / TUNE
City SNELLVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1993 | 3 | 0 | 0.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 9 | 1 | 11.1% |
| Total: | 15 | 2 | 13.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|---------------------|--------------------|--------------------------------|
| Station ID | GA002045 | Name | AUTO-FAST LUBE & DETAIL CENTER |
| Address | 5786 BUFORD HIGHWAY | City | NORCROSS |
| Zip | 30071 | County | WINNETT |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 12 | 3 | 25.0% |
| 1995 | 5 | 1 | 20.0% |
| Total: | 23 | 4 | 17.4% |

| | | | |
|-------------------------|------------------------|--------------------|--------------------|
| Station ID | GA002047 | Name | DOUBLE A EMISSIONS |
| Address | 3901 COVINGTON HIGHWAY | City | DECATUR |
| Zip | 30032 | County | DEKALB |
| Technician Count | 8 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 10 | 4 | 40.0% |
| 1995 | 11 | 0 | 0.0% |
| Total: | 29 | 4 | 13.8% |

| | | | |
|-------------------------|---------------------|--------------------|----------------------|
| Station ID | GA002062 | Name | FINISH LINE CAR WASH |
| Address | 5510 MEMORIAL DRIVE | City | STONE MOUNTAIN |
| Zip | 30083 | County | DEKALB |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 11 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------------|--------------------|---|
| Station ID | GA002076 | Name | KEVIN HERBERT AUTOMOTIVE INC DBA HANDY LUBE |
| Address | 4660 BROWNS BRIDGE ROAD | City | CUMMING |
| Zip | 30041 | County | FORSYTH |
| Technician Count | 11 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 4 | 1 | 25.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 12 | 1 | 8.3% |
| 1995 | 14 | 0 | 0.0% |
| Total: | 36 | 2 | 5.6% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002078
Address 3640 JODECO ROAD
Zip 30253
Technician Count 6

Name PROFESSIONAL AUTO SERVICE INC
City MCDONOUGH
County HENRY
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 10 | 6 | 60.0% |
| Total: | 15 | 6 | 40.0% |

Station ID GA002079
Address 140A W CAMPGROUND ROAD
Zip 30253
Technician Count 8

Name QUICK EMISSIONS
City MCDONOUGH
County HENRY
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 4 | 0 | 0.0% |
| 1993 | 7 | 1 | 14.3% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 8 | 2 | 25.0% |
| 1996 | 1 | 0 | 0.0% |
| Total: | 26 | 3 | 11.5% |

Station ID GA002086
Address 4853 CANTON ROAD
Zip 30066
Technician Count 4

Name RITE PRICE AUTO REPAIR
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 9 | 1 | 11.1% |
| 1994 | 8 | 1 | 12.5% |
| 1995 | 15 | 1 | 6.7% |
| Total: | 35 | 3 | 8.6% |

Station ID GA002089
Address 8062 ROCKBRIDGE ROAD
Zip 30058
Technician Count 8

Name DEKRA EMISSION CHECK
City LITHONIA
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 10 | 2 | 20.0% |
| Total: | 20 | 2 | 10.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002107
Address 1699 HIGHWAY 20 NE
Zip 30012
Technician Count 2

Name EASY EMISSIONS INC
City CONYERS
County ROCKDALE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 8 | 2 | 25.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 14 | 2 | 14.3% |

Station ID GA002115
Address 5402 JIMMY CARTER BOULEVARD
Zip 30093
Technician Count 1

Name DANZ AUTO REPAIR INC
City NORCROSS
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 4 | 2 | 50.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 12 | 3 | 25.0% |

Station ID GA002117
Address 3200 STONE MOUNTAIN HIGHWAY
Zip 30078
Technician Count 1

Name PTA EMISSIONS
City SNELLVILLE
County GWINNETT
Audit Count 7

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 7 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 11 | 0 | 0.0% |
| Total: | 24 | 0 | 0.0% |

Station ID GA002127
Address 1226 CUSTER AVENUE
Zip 30316
Technician Count 3

Name GRANTS AUTO SERVICE CENTER
City ATLANTA
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 6 | 1 | 16.7% |
| 1993 | 8 | 0 | 0.0% |
| 1994 | 9 | 1 | 11.1% |
| 1995 | 6 | 2 | 33.3% |
| Total: | 32 | 4 | 12.5% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002130
Address 900 PEACHTREE INDUSTRIAL BOULEVARD
Zip 30024
Technician Count 6

Name NEAUTOTEK
City SUWANEE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA002131
Address 6479 BELLS FERRY ROAD
Zip 30189
Technician Count 7

Name TOWNE LAKE EMISSIONS
City WOODSTOCK
County CHEROKEE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 11 | 0 | 0.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 34 | 0 | 0.0% |

Station ID GA002133
Address 4556 E PONCE DE LEON AVENUE
Zip 30021
Technician Count 1

Name CLEAR VIEW INC
City CLARKSTON
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1993 | 5 | 1 | 20.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 18 | 2 | 11.1% |

Station ID GA002137
Address 6450 CHURCH STREET
Zip 30134
Technician Count 7

Name EMISSION ACTION III
City DOUGLASVILLE
County DOUGLAS
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 5 | 0 | 0.0% |
| 1993 | 13 | 6 | 46.2% |
| 1994 | 9 | 2 | 22.2% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 35 | 9 | 25.7% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002139
Address 2779 CRUSE ROAD
Zip 30044
Technician Count 1

Name BUI'S AUTO EMISSION
City LAWRENCEVILLE
County GWINNETT
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 1 | 100.0% |
| 1995 | 3 | 1 | 33.3% |
| Total: | 4 | 2 | 50.0% |

Station ID GA002165
Address 355 UNIVERSITY AVENUE SW
Zip 30310
Technician Count 2

Name UNIVERSITY EMISSION
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 9 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 24 | 0 | 0.0% |

Station ID GA002170
Address 7318 ROSWELL ROAD
Zip 30328
Technician Count 7

Name CLEAN AIR EMISSIONS INC
City SANDY SPRINGS
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 4 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 10 | 0 | 0.0% |
| 1994 | 8 | 0 | 0.0% |
| 1995 | 19 | 2 | 10.5% |
| Total: | 42 | 2 | 4.8% |

Station ID GA002174
Address 1185 OLD SALEM ROAD
Zip 30094
Technician Count 3

Name NEIGHBORHOOD EMISSIONS
City CONYERS
County ROCKDALE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 9 | 0 | 0.0% |
| 1994 | 18 | 0 | 0.0% |
| 1995 | 16 | 1 | 6.3% |
| Total: | 46 | 1 | 2.2% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002185
Address 1766 DIXIE AVENUE
Zip 30080
Technician Count 2

Name JIMMYS AUTOMOTIVE
City SMYRNA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA002194
Address 3354 LANGLEY ROAD
Zip 30052
Technician Count 1

Name PRESTIGE AUTOMOTIVE OF LOGANVILLE LLC
City LOGANVILLE
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA002203
Address 4778 JONESBORO ROAD
Zip 30297
Technician Count 3

Name VTECH AUTO REPAIR AND BODY SHOP
City FOREST PARK
County CLAYTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 5 | 2 | 40.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 8 | 0 | 0.0% |
| Total: | 21 | 2 | 9.5% |

Station ID GA002209
Address 961 HIGHWAY 85 S
Zip 30215
Technician Count 2

Name SMITH AUTO TRUCK INC
City FAYETTEVILLE
County FAYETTE
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 1 | 100.0% |
| 1993 | 4 | 1 | 25.0% |
| 1994 | 6 | 2 | 33.3% |
| 1995 | 9 | 0 | 0.0% |
| Total: | 21 | 4 | 19.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002210
Address 4665 LOWER ROSWELL ROAD
Zip 30068
Technician Count 5

Name EAST COBB EMISSIONS # 30
City MARIETTA
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 12 | 0 | 0.0% |

Station ID GA002240
Address 2625 MARIETTA HIGHWAY
Zip 30114
Technician Count 3

Name VAUGHN EXXON
City CANTON
County CHEROKEE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 5 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 4 | 1 | 25.0% |
| 1995 | 7 | 0 | 0.0% |
| 2011 | 1 | 0 | 0.0% |
| Total: | 25 | 1 | 4.0% |

Station ID GA002261
Address 1912 HIRAM DOUGLASVILLE HIGHWAY
Zip 30141
Technician Count 1

Name A QUICK EMISSIONS
City HIRAM
County PAULDING
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 6 | 2 | 33.3% |
| Total: | 12 | 2 | 16.7% |

Station ID GA002291
Address 4234 JONESBORO ROAD
Zip 30297
Technician Count 1

Name FUERZA LATINA AUTOMOTIVE SHOP
City FOREST PARK
County CLAYTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002336
Address 9694 HIGHWAY 92 E
Zip 30188
Technician Count 6

Name HAVOLINE XPRESS LUBE
City WOODSTOCK
County CHEROKEE
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1997 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA002338
Address 230 MORELAND AVENUE
Zip 30316
Technician Count 7

Name EXPRESS OIL CHANGE # 23
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 7 | 1 | 14.3% |
| 1993 | 15 | 3 | 20.0% |
| 1994 | 15 | 2 | 13.3% |
| 1995 | 22 | 1 | 4.6% |
| Total: | 60 | 7 | 11.7% |

Station ID GA002351
Address 5300 ROSWELL ROAD
Zip 30342
Technician Count 5

Name SPEEDEMISSIONS INC
City SANDY SPRINGS
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 5 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 15 | 0 | 0.0% |
| 1995 | 19 | 0 | 0.0% |
| Total: | 47 | 0 | 0.0% |

Station ID GA002352
Address 2625 S COBB DRIVE
Zip 30080
Technician Count 11

Name SPEEDEMISSIONS INC
City SMYRNA
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|-----------|--------------|
| 1990 | 2 | 1 | 50.0% |
| 1991 | 12 | 3 | 25.0% |
| 1992 | 9 | 3 | 33.3% |
| 1993 | 17 | 1 | 5.9% |
| 1994 | 15 | 2 | 13.3% |
| 1995 | 25 | 1 | 4.0% |
| Total: | 80 | 11 | 13.8% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002353
Address 731 POWDER SPRINGS STREET
Zip 30064
Technician Count 6

Name SPEEDEMISSIONS INC
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 18 | 1 | 5.6% |

Station ID GA002355
Address 100 N PEACHTREE PARKWAY
Zip 30269
Technician Count 9

Name SPEEDEMISSIONS INC
City PEACHTREE CITY
County FAYETTE
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 5 | 0 | 0.0% |
| 1993 | 4 | 2 | 50.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 13 | 0 | 0.0% |
| Total: | 26 | 2 | 7.7% |

Station ID GA002356
Address 9072 HIGHWAY 92
Zip 30189
Technician Count 4

Name SPEEDEMISSIONS INC
City WOODSTOCK
County CHEROKEE
Audit Count 8

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 10 | 1 | 10.0% |
| 1995 | 11 | 1 | 9.1% |
| Total: | 33 | 3 | 9.1% |

Station ID GA002359
Address 1869 COBB PARKWAY S
Zip 30060
Technician Count 10

Name SPEEDEMISSIONS INC
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 10 | 1 | 10.0% |
| Total: | 19 | 1 | 5.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002361
Address 213 RIVERSTONE PARKWAY
Zip 30114
Technician Count 4

Name SPEEDEMISSIONS INC
City CANTON
County CHEROKEE
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 9 | 0 | 0.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 9 | 0 | 0.0% |
| Total: | 28 | 0 | 0.0% |

Station ID GA002363
Address 2887 CANTON ROAD
Zip 30066
Technician Count 8

Name SPEEDEMISSIONS INC
City MARIETTA
County COBB
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|------------|----------|-------------|
| 1991 | 8 | 1 | 12.5% |
| 1992 | 17 | 0 | 0.0% |
| 1993 | 29 | 6 | 20.7% |
| 1994 | 33 | 0 | 0.0% |
| 1995 | 72 | 0 | 0.0% |
| Total: | 159 | 7 | 4.4% |

Station ID GA002366
Address 792 VETERANS MEMORIAL HIGHWAY
Zip 30126
Technician Count 2

Name HARVEY'S EMISSIONS
City MABLETON
County COBB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 13 | 4 | 30.8% |
| 1993 | 5 | 2 | 40.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 15 | 3 | 20.0% |
| Total: | 43 | 9 | 20.9% |

Station ID GA002371
Address 3140 COBB PARKWAY
Zip 30101
Technician Count 4

Name CREEKSIDE EMISSIONS
City ACWORTH
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 5 | 2 | 40.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 9 | 1 | 11.1% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 25 | 4 | 16.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA002399
Address 2880 CAMPBELLTON ROAD
Zip 30311
Technician Count 3

Name MIGHTY MUFFLER OF ATLANTA INC
City ATLANTA
County FULTON
Audit Count 9

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 10 | 1 | 10.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 18 | 1 | 5.6% |

Station ID GA002400
Address 687 E CROGAN STREET
Zip 30046
Technician Count 2

Name MIGHTY MUFFLER SHOP INC
City LAWRENCEVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 7 | 1 | 14.3% |
| 1994 | 7 | 1 | 14.3% |
| 1995 | 16 | 4 | 25.0% |
| Total: | 34 | 6 | 17.6% |

Station ID GA100006
Address 7865 HIGHWAY 74
Zip 30213
Technician Count 4

Name YEAR ROUND EMISSIONS
City FAIRBURN
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 6 | 2 | 33.3% |
| 1994 | 17 | 2 | 11.8% |
| 1995 | 10 | 1 | 10.0% |
| Total: | 35 | 5 | 14.3% |

Station ID GA100008
Address 4800 REDAN ROAD
Zip 30088
Technician Count 1

Name CORRECT EMISSIONS
City STONE MOUNTAIN
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 7 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|--------------------|--------------------|-----------------------------------|
| Station ID | GA100035 | Name | RACETRACK AUTO & TRUCK CENTER INC |
| Address | 127 RACETRACK ROAD | City | MCDONOUGH |
| Zip | 30253 | County | HENRY |
| Technician Count | 4 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 10 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------|--------------------|--------------------|
| Station ID | GA100038 | Name | EMISSIONS ONLY INC |
| Address | 181 S MAIN STREET | City | JONESBORO |
| Zip | 30236 | County | CLAYTON |
| Technician Count | 2 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 9 | 0 | 0.0% |

| | | | |
|-------------------------|-----------------------|--------------------|--------------------|
| Station ID | GA100041 | Name | FASTREET EMISSIONS |
| Address | 5636 MABLETON PARKWAY | City | MABLETON |
| Zip | 30126 | County | COBB |
| Technician Count | 2 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 11 | 0 | 0.0% |
| Total: | 29 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|--------------------|
| Station ID | GA100044 | Name | GO GREEN EMISSIONS |
| Address | 2309 SCENIC HIGHWAY | City | SNELLVILLE |
| Zip | 30078 | County | GWINNETT |
| Technician Count | 5 | Audit Count | 6 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 6 | 0 | 0.0% |
| 1992 | 9 | 1 | 11.1% |
| 1993 | 15 | 0 | 0.0% |
| 1994 | 32 | 0 | 0.0% |
| 1995 | 27 | 1 | 3.7% |
| 2001 | 1 | 0 | 0.0% |
| Total: | 90 | 2 | 2.2% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100047
Address 1366 HIGHWAY 29 S
Zip 30263
Technician Count 3

Name AUTO EMISSION & REPAIR
City NEWNAN
County COWETA
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| 1997 | 4 | 4 | 100.0% |
| Total: | 16 | 4 | 25.0% |

Station ID GA100049
Address 9850 NESBIT FERRY ROAD
Zip 30022
Technician Count 4

Name HAPPY BIRTHDAY EMISSIONS
City JOHNS CREEK
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 5 | 2 | 40.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 5 | 1 | 20.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 9 | 1 | 11.1% |
| 2011 | 1 | 1 | 100.0% |
| Total: | 29 | 5 | 17.2% |

Station ID GA100052
Address 3930 AUSTELL POWDER SPRINGS ROAD
Zip 30127
Technician Count 3

Name SAIA PETROLEUM LLC
City POWDER SPRINGS
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 11 | 3 | 27.3% |
| 1995 | 14 | 2 | 14.3% |
| Total: | 34 | 5 | 14.7% |

Station ID GA100075
Address 320 FAIRVIEW ROAD
Zip 30294
Technician Count 3

Name OZONE EMISSION INC
City ELLENWOOD
County HENRY
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 9 | 1 | 11.1% |
| 1994 | 10 | 1 | 10.0% |
| 1995 | 19 | 2 | 10.5% |
| Total: | 42 | 4 | 9.5% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100093
Address 4030 LAVISTA ROAD
Zip 30084
Technician Count 5

Name QUICK PASS EMISSIONS INC
City TUCKER
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 9 | 1 | 11.1% |
| 1994 | 10 | 1 | 10.0% |
| 1995 | 7 | 0 | 0.0% |
| 2000 | 1 | 0 | 0.0% |
| Total: | 31 | 2 | 6.5% |

Station ID GA100114
Address 805 S COBB DRIVE
Zip 30064
Technician Count 2

Name PAPA'S EMISSIONS ALL VEHICLES WECOME
City MARIETTA
County COBB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|-----------|--------------|
| 1991 | 7 | 0 | 0.0% |
| 1992 | 12 | 0 | 0.0% |
| 1993 | 19 | 3 | 15.8% |
| 1994 | 23 | 4 | 17.4% |
| 1995 | 30 | 5 | 16.7% |
| Total: | 91 | 12 | 13.2% |

Station ID GA100146
Address 3901 FLAT SHOALS PARKWAY
Zip 30034
Technician Count 3

Name ACE EMISSIONS TESTING COMPANY
City DECATUR
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

Station ID GA100165
Address 3830 ROSWELL ROAD
Zip 30342
Technician Count 7

Name GOODYEAR CERTIFIED AUTO SERVICE
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|---------------|
| 1995 | 1 | 1 | 100.0% |
| Total: | 1 | 1 | 100.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100175
Address 4995 ROSWELL ROAD
Zip 30342
Technician Count 4

Name JIFFY LUBE # 614
City SANDY SPRINGS
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 1 | 1 | 100.0% |
| 1994 | 2 | 0 | 0.0% |
| Total: | 3 | 1 | 33.3% |

Station ID GA100176
Address 2965 HOLCOMB BRIDGE ROAD
Zip 30022
Technician Count 4

Name JIFFY LUBE # 1060
City ALPHARETTA
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| 2007 | 1 | 1 | 100.0% |
| Total: | 4 | 1 | 25.0% |

Station ID GA100216
Address 10870 STATE BRIDGE ROAD
Zip 30022
Technician Count 5

Name JOHNS CREEK EMISSION LLC
City JOHNS CREEK
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 6 | 1 | 16.7% |
| 1994 | 10 | 0 | 0.0% |
| 1995 | 15 | 0 | 0.0% |
| Total: | 36 | 1 | 2.8% |

Station ID GA100219
Address 5675 JIMMY CARTER BOULEVARD
Zip 30071
Technician Count 5

Name MZM INC
City NORCROSS
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 3 | 1 | 33.3% |
| Total: | 9 | 1 | 11.1% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|-----------------------|--------------------|------------------------------|
| Station ID | GA100224 | Name | RMR AUTO CARE AND QUICK LUBE |
| Address | 922 ATHENS HIGHWAY 78 | City | LOGANVILLE |
| Zip | 30052 | County | GWINNETT |
| Technician Count | 8 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| 1996 | 1 | 0 | 0.0% |
| Total: | 10 | 0 | 0.0% |

| | | | |
|-------------------------|--------------------|--------------------|---------------------|
| Station ID | GA100239 | Name | ROWLAND AUTO & TIRE |
| Address | 215 INDUSTRIAL WAY | City | FAYETTEVILLE |
| Zip | 30215 | County | FAYETTE |
| Technician Count | 3 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| 2008 | 1 | 0 | 0.0% |
| Total: | 5 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------------|--------------------|----------------------|
| Station ID | GA100241 | Name | DEKRA EMISSION CHECK |
| Address | 2841 GREENBRIAR PARKWAY | City | ATLANTA |
| Zip | 30331 | County | FULTON |
| Technician Count | 11 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|------------|-----------|--------------|
| 1991 | 9 | 1 | 11.1% |
| 1992 | 20 | 6 | 30.0% |
| 1993 | 26 | 3 | 11.5% |
| 1994 | 26 | 1 | 3.9% |
| 1995 | 47 | 6 | 12.8% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 129 | 17 | 13.2% |

| | | | |
|-------------------------|-------------------|--------------------|---------------------------|
| Station ID | GA100247 | Name | DALLAS EMISSION CENTER II |
| Address | 266 S MAIN STREET | City | DALLAS |
| Zip | 30132 | County | PAULDING |
| Technician Count | 3 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 11 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|-------------------|--------------------|----------------------|
| Station ID | GA100263 | Name | DEKRA EMISSION CHECK |
| Address | 3273 ATLANTA ROAD | City | SMYRNA |
| Zip | 30080 | County | COBB |
| Technician Count | 14 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 3 | 1 | 33.3% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 10 | 0 | 0.0% |
| 1995 | 14 | 0 | 0.0% |
| Total: | 29 | 1 | 3.4% |

| | | | |
|-------------------------|---------------------|--------------------|-------------------|
| Station ID | GA100264 | Name | HIT ONE EMISSIONS |
| Address | 2832 N DECATUR ROAD | City | DECATUR |
| Zip | 30033 | County | DEKALB |
| Technician Count | 4 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 13 | 0 | 0.0% |
| Total: | 21 | 0 | 0.0% |

| | | | |
|-------------------------|-----------------------|--------------------|----------------------|
| Station ID | GA100281 | Name | DEKRA EMISSION CHECK |
| Address | 4403 HUGH HOWELL ROAD | City | TUCKER |
| Zip | 30084 | County | DEKALB |
| Technician Count | 8 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1994 | 7 | 1 | 14.3% |
| 1995 | 18 | 7 | 38.9% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 33 | 8 | 24.2% |

| | | | |
|-------------------------|------------------|--------------------|----------------------|
| Station ID | GA100286 | Name | DEKRA EMISSION CHECK |
| Address | 554 ATLANTA ROAD | City | CUMMING |
| Zip | 30040 | County | FORSYTH |
| Technician Count | 5 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 7 | 1 | 14.3% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 10 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| 2002 | 2 | 1 | 50.0% |
| Total: | 30 | 2 | 6.7% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100287
Address 5450 PEACHTREE PARKWAY
Zip 30092
Technician Count 17

Name DEKRA EMISSION CHECK
City PEACHTREE CORNERS
County GWINNETT
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 6 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 18 | 0 | 0.0% |

Station ID GA100292
Address 531 VETERANS BOULEVARD
Zip 30040
Technician Count 2

Name CLEAN AIR EMISSIONS INC
City CUMMING
County FORSYTH
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 1 | 100.0% |
| 1995 | 5 | 0 | 0.0% |
| 1996 | 1 | 0 | 0.0% |
| 2002 | 1 | 0 | 0.0% |
| Total: | 9 | 1 | 11.1% |

Station ID GA100299
Address 211 MCARTHUR STREET
Zip 30046
Technician Count 3

Name DAF AUTO TECH LLC
City LAWRENCEVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 4 | 0 | 0.0% |

Station ID GA100301
Address 4155 ARCADIA INDUSTRIAL CIRCLE
Zip 30047
Technician Count 1

Name JATTI EMISSION STATION INC
City LILBURN
County GWINNETT
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 8 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|----------------------------|--------------------|----------------------|
| Station ID | GA100318 | Name | SCENIC EMISSIONS LLC |
| Address | 4760 LAWRENCEVILLE HIGHWAY | City | LILBURN |
| Zip | 30047 | County | WINNETT |
| Technician Count | 12 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 2 | 0 | 0.0% |
| 1994 | 5 | 1 | 20.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 8 | 1 | 12.5% |

| | | | |
|-------------------------|------------------------------|--------------------|--------------------|
| Station ID | GA100334 | Name | GLOBAL IMPORTS BMW |
| Address | 500 INTERSTATE NORTH PARKWAY | City | ATLANTA |
| Zip | 30339 | County | COBB |
| Technician Count | 7 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|---------------------|--------------------|--------------|
| Station ID | GA100340 | Name | TR EMISSIONS |
| Address | 3259 BUFORD HIGHWAY | City | BROOKHAVEN |
| Zip | 30329 | County | DEKALB |
| Technician Count | 4 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

| | | | |
|-------------------------|----------------------|--------------------|---------------------------|
| Station ID | GA100341 | Name | JAKE JOHNSON'S GARAGE INC |
| Address | 5932 CUMMING HIGHWAY | City | SUGAR HILL |
| Zip | 30518 | County | WINNETT |
| Technician Count | 5 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100355
Address 1355 EAST WEST CONNECTOR
Zip 30106
Technician Count 2

Name AKAYA EMISSIONS LLC
City AUSTELL
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 1 | 100.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 9 | 4 | 44.4% |
| 1994 | 8 | 0 | 0.0% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 30 | 5 | 16.7% |

Station ID GA100356
Address 3940 JODECO ROAD
Zip 30253
Technician Count 2

Name SHORTY'S
City MCDONOUGH
County HENRY
Audit Count 0

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

Station ID GA100370
Address 6541 TARA BOULEVARD
Zip 30236
Technician Count 2

Name JD FULL SERVICE AUTO REPAIR
City JONESBORO
County CLAYTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 1 | 50.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 10 | 1 | 10.0% |
| 1995 | 9 | 0 | 0.0% |
| Total: | 26 | 2 | 7.7% |

Station ID GA100382
Address 785 E LANIER AVENUE
Zip 30214
Technician Count 4

Name AUTO QUICK FAST LUBE
City FAYETTEVILLE
County FAYETTE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 2 | 50.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 12 | 3 | 25.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100385
Address 10569 TARA BOULEVARD
Zip 30326
Technician Count 4

Name PERFECT EMISSION TESTING CENTER LLC
City JONESBORO
County CLAYTON
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 5 | 3 | 60.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 7 | 2 | 28.6% |
| 1994 | 14 | 1 | 7.1% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 36 | 7 | 19.4% |

Station ID GA100389
Address 610 W MEMORIAL DRIVE
Zip 30132
Technician Count 5

Name DEKRA EMISSION CHECK
City DALLAS
County PAULDING
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 7 | 0 | 0.0% |
| Total: | 11 | 0 | 0.0% |

Station ID GA100401
Address 5182 HICKORY FLAT HIGHWAY
Zip 30115
Technician Count 3

Name HICKORY FLAT HIGHWAY AUTO
City CANTON
County CHEROKEE
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 1 | 1 | 100.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 5 | 1 | 20.0% |
| Total: | 9 | 2 | 22.2% |

Station ID GA100403
Address 6437 HIRAM DOUGLASVILLE HIGHWAY
Zip 30127
Technician Count 1

Name TRI COUNTY EMISSIONS
City POWDER SPRINGS
County PAULDING
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 12 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100421
Address 1376 DRESDEN DRIVE
Zip 30319
Technician Count 11

Name ALL SEASON EMISSION
City ATLANTA
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA100433
Address 4800 MEMORIAL DRIVE
Zip 30032
Technician Count 3

Name QUICK STOP AUTOMOTIVE LLC
City DECATUR
County DEKALB
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 8 | 1 | 12.5% |
| Total: | 18 | 1 | 5.6% |

Station ID GA100434
Address 7411 SOUTHLAKE PARKWAY
Zip 30236
Technician Count 3

Name A1 EMISSION
City JONESBORO
County CLAYTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 6 | 2 | 33.3% |
| Total: | 10 | 2 | 20.0% |

Station ID GA100450
Address 4227 BUFORD ROAD DRIVE
Zip 30518
Technician Count 4

Name DIAMOND AUTO SPA & LUBE
City BUFORD
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA100453
Address 1497 VETERANS MEMORIAL HIGHWAY
Zip 30126
Technician Count 3

Name AUTOTRAIL
City MABLETON
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1993 | 7 | 2 | 28.6% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 20 | 2 | 10.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100513
Address 5530 BUFORD HIGHWAY
Zip 30071
Technician Count 3

Name FQ EMISSIONS LLC
City NORCROSS
County GWINNETT
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 9 | 1 | 11.1% |
| Total: | 18 | 1 | 5.6% |

Station ID GA100530
Address 3826 COBB PARKWAY
Zip 30101
Technician Count 9

Name DEKRA EMISSION CHECK
City ACWORTH
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 3 | 1 | 33.3% |
| 1993 | 8 | 0 | 0.0% |
| 1994 | 9 | 1 | 11.1% |
| 1995 | 13 | 1 | 7.7% |
| 2011 | 1 | 0 | 0.0% |
| Total: | 37 | 4 | 10.8% |

Station ID GA100547
Address 1003 FOREST PARKWAY
Zip 30297
Technician Count 1

Name EXPRESS EMISSION
City FOREST PARK
County CLAYTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 7 | 0 | 0.0% |
| 1994 | 6 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 18 | 0 | 0.0% |

Station ID GA100550
Address 3368 E PONCE DE LEON AVENUE
Zip 30079
Technician Count 1

Name A&R EMISSION INC
City SCOTSDALE
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 2 | 1 | 50.0% |
| Total: | 2 | 1 | 50.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100572
Address 4975 JIMMY CARTER BOULEVARD
Zip 30093
Technician Count 1

Name QUALITY EMISSIONS # 2
City NORCROSS
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 6 | 0 | 0.0% |

Station ID GA100579
Address 1502 PLEASANT HILL ROAD
Zip 30096
Technician Count 6

Name DOUBLE A EMISSIONS
City DULUTH
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 14 | 0 | 0.0% |

Station ID GA100596
Address 2410 LAWRENCEVILLE HIGHWAY
Zip 30044
Technician Count 3

Name OZONE EMISSION INC
City LAWRENCEVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 4 | 0 | 0.0% |
| 1993 | 5 | 3 | 60.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 13 | 0 | 0.0% |
| Total: | 27 | 3 | 11.1% |

Station ID GA100604
Address 1670 PLEASANT HILL ROAD
Zip 30096
Technician Count 4

Name ALFA 1
City DULUTH
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100628
Address 3644 HIGHWAY 5
Zip 30135
Technician Count 3

Name HIGHWAY 5 EMISSIONS
City DOUGLASVILLE
County DOUGLAS
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 7 | 0 | 0.0% |
| 1992 | 9 | 2 | 22.2% |
| 1993 | 12 | 0 | 0.0% |
| 1994 | 9 | 2 | 22.2% |
| 1995 | 19 | 1 | 5.3% |
| Total: | 56 | 5 | 8.9% |

Station ID GA100630
Address 1835 CANDLER ROAD
Zip 30032
Technician Count 1

Name AFTERDARK EXHAUST & BRAKE
City DECATUR
County DEKALB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 8 | 0 | 0.0% |

Station ID GA100636
Address 2595 MARTIN LUTHER KING JR. DRIVE
Zip 30311
Technician Count 2

Name 1ST STOP EMISSION INC
City ATLANTA
County FULTON
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 13 | 5 | 38.5% |
| 1995 | 7 | 0 | 0.0% |
| Total: | 28 | 5 | 17.9% |

Station ID GA100653
Address 101 GREISON TRAIL
Zip 30263
Technician Count 3

Name GREISON TRAIL EMISSIONS
City NEWNAN
County COWETA
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 13 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|-------------------------|--------------------|----------------------------------|
| Station ID | GA100663 | Name | DRIVE BLING EMISSION & DETAILING |
| Address | 1843 PLEASANT HILL ROAD | City | DULUTH |
| Zip | 30096 | County | WINNETT |
| Technician Count | 3 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|----------------------|--------------------|--------------|
| Station ID | GA100666 | Name | MEDLOCK GULF |
| Address | 1489 SCOTT BOULEVARD | City | DECATUR |
| Zip | 30030 | County | DEKALB |
| Technician Count | 5 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

| | | | |
|-------------------------|------------------------|--------------------|----------------------|
| Station ID | GA100668 | Name | QUICK STOP EMISSIONS |
| Address | 4918 COVINGTON HIGHWAY | City | DECATUR |
| Zip | 30035 | County | DEKALB |
| Technician Count | 4 | Audit Count | 8 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1990 | 1 | 0 | 0.0% |
| 1991 | 1 | 0 | 0.0% |
| 1992 | 4 | 1 | 25.0% |
| 1993 | 4 | 1 | 25.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 8 | 2 | 25.0% |
| Total: | 27 | 4 | 14.8% |

| | | | |
|-------------------------|-----------------|--------------------|-----------------------------|
| Station ID | GA100679 | Name | FAT MANS AUTOMOTIVE SERVICE |
| Address | 7633 HIGHWAY 85 | City | RIVERDALE |
| Zip | 30274 | County | CLAYTON |
| Technician Count | 2 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 6 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100711
Address 500 NATHAN DEAN BOULEVARD
Zip 30157
Technician Count 3

Name 61 KWIK CHEK
City DALLAS
County PAULDING
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 8 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 11 | 3 | 27.3% |
| Total: | 22 | 3 | 13.6% |

Station ID GA100728
Address 4879 ROCKBRIDGE ROAD
Zip 30083
Technician Count 1

Name BELL AND BELL EMISSIONS
City STONE MOUNTAIN
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA100749
Address 4624 LAWRENCEVILLE HIGHWAY
Zip 30047
Technician Count 2

Name INSPIRED SOLUTIONS
City LILBURN
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA100753
Address 4671 RIDGE ROAD
Zip 30134
Technician Count 3

Name RIDGE ROAD EMISSIONS
City DOUGLASVILLE
County DOUGLAS
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 5 | 0 | 0.0% |
| Total: | 10 | 0 | 0.0% |

Station ID GA100758
Address 1045 FRANKLIN ROAD
Zip 30067
Technician Count 7

Name FAST TIRE SERVICE LLC
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1995 | 5 | 1 | 20.0% |
| Total: | 6 | 1 | 16.7% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100766
Address 2526 GRESHAM ROAD
Zip 30316
Technician Count 3

Name J & E EMISSION LLC
City ATLANTA
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 4 | 1 | 25.0% |
| 1995 | 4 | 1 | 25.0% |
| Total: | 10 | 2 | 20.0% |

Station ID GA100778
Address 1330 VETERANS MEMORIAL HIGHWAY
Zip 30126
Technician Count 3

Name BANKHEAD EMISSIONS
City MABLETON
County COBB
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|-----------|--------------|
| 1991 | 5 | 3 | 60.0% |
| 1992 | 8 | 4 | 50.0% |
| 1993 | 10 | 2 | 20.0% |
| 1994 | 19 | 1 | 5.3% |
| 1995 | 17 | 5 | 29.4% |
| Total: | 59 | 15 | 25.4% |

Station ID GA100791
Address 2391 CLAY ROAD
Zip 30106
Technician Count 3

Name OMEGA CENTRAL CO LLC
City AUSTELL
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 14 | 0 | 0.0% |

Station ID GA100833
Address 2202 GRAYSON HIGHWAY
Zip 30017
Technician Count 3

Name GRAYSON EMISSIONS
City GRAYSON
County GWINNETT
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 2 | 66.7% |
| Total: | 7 | 2 | 28.6% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100841
Address 2807 SIMPSON CIRCLE
Zip 30071
Technician Count 2

Name J & M AUTO CENTER
City NORCROSS
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1991 | 2 | 1 | 50.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 1 | 0 | 0.0% |
| 2003 | 1 | 0 | 0.0% |
| Total: | 9 | 2 | 22.2% |

Station ID GA100852
Address 3798 BUFORD ROAD DRIVE
Zip 30519
Technician Count 4

Name CAR REPAIR EMISSION
City BUFORD
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 6 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 12 | 0 | 0.0% |
| Total: | 31 | 0 | 0.0% |

Station ID GA100853
Address 10191 TARA BOULEVARD
Zip 30236
Technician Count 9

Name DOC'S EMISSIONS AND REPAIRS INC
City JONESBORO
County CLAYTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 5 | 1 | 20.0% |
| 1992 | 7 | 2 | 28.6% |
| 1993 | 9 | 2 | 22.2% |
| 1994 | 17 | 2 | 11.8% |
| 1995 | 13 | 2 | 15.4% |
| Total: | 51 | 9 | 17.6% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|----------------------|--------------------|----------------|
| Station ID | GA100855 | Name | LOLO EMISSIONS |
| Address | 2761 EVANS MILL ROAD | City | LITHONIA |
| Zip | 30058 | County | DEKALB |
| Technician Count | 5 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1996 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

| | | | |
|-------------------------|--------------------------|--------------------|---------------------------|
| Station ID | GA100861 | Name | ATLANTA HYBRID REPAIR LLC |
| Address | 5630 PEACHTREE BOULEVARD | City | CHAMBLEE |
| Zip | 30341 | County | DEKALB |
| Technician Count | 2 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

| | | | |
|-------------------------|------------------------|--------------------|--------------------|
| Station ID | GA100872 | Name | BLUE SKY EMISSIONS |
| Address | 6162 COVINGTON HIGHWAY | City | LITHONIA |
| Zip | 30058 | County | DEKALB |
| Technician Count | 5 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 8 | 0 | 0.0% |
| 1992 | 11 | 1 | 9.1% |
| 1993 | 17 | 1 | 5.9% |
| 1994 | 27 | 2 | 7.4% |
| 1995 | 34 | 2 | 5.9% |
| Total: | 97 | 6 | 6.2% |

| | | | |
|-------------------------|---------------------|--------------------|--------------------|
| Station ID | GA100885 | Name | SPEEDEMISSIONS INC |
| Address | 8870 TARA BOULEVARD | City | JONESBORO |
| Zip | 30236 | County | CLAYTON |
| Technician Count | 4 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 4 | 0 | 0.0% |
| 1993 | 12 | 2 | 16.7% |
| 1994 | 12 | 2 | 16.7% |
| 1995 | 16 | 2 | 12.5% |
| Total: | 44 | 6 | 13.6% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100889
Address 5021 ROOSEVELT HIGHWAY
Zip 30291
Technician Count 11

Name SPEEDEMISSIONS INC
City UNION CITY
County FULTON
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 4 | 2 | 50.0% |
| 1992 | 9 | 0 | 0.0% |
| 1993 | 11 | 0 | 0.0% |
| 1994 | 17 | 3 | 17.7% |
| 1995 | 18 | 1 | 5.6% |
| Total: | 59 | 6 | 10.2% |

Station ID GA100898
Address 2075 CAMPBELLTON ROAD
Zip 30311
Technician Count 3

Name BIG'S EMISSION LLC
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA100915
Address 235 CASTLEBERRY INDUSTRIAL DRIVE
Zip 30040
Technician Count 9

Name KEVIN HERBERT AUTOMOTIVE INC
City CUMMING
County FORSYTH
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 5 | 0 | 0.0% |
| 1992 | 6 | 2 | 33.3% |
| 1993 | 7 | 0 | 0.0% |
| 1994 | 13 | 1 | 7.7% |
| 1995 | 10 | 0 | 0.0% |
| Total: | 41 | 3 | 7.3% |

Station ID GA100919
Address 1912 LOWER ROSWELL ROAD
Zip 30068
Technician Count 3

Name WEATHERBY AUTO EMISSIONS INC
City MARIETTA
County COBB
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 8 | 1 | 12.5% |
| Total: | 23 | 1 | 4.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|---------------------|--------------------|-----------------|
| Station ID | GA100923 | Name | CASTLE CAR WASH |
| Address | 1780 BUFORD HIGHWAY | City | CUMMING |
| Zip | 30041 | County | FORSYTH |
| Technician Count | 10 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

| | | | |
|-------------------------|-------------------|--------------------|-----------------------|
| Station ID | GA100929 | Name | LINCOLN EMISSIONS LLC |
| Address | 5010 AUSTELL ROAD | City | AUSTELL |
| Zip | 30106 | County | COBB |
| Technician Count | 6 | Audit Count | 2 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 1 | 100.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| Total: | 3 | 1 | 33.3% |

| | | | |
|-------------------------|---------------------|--------------------|--------------------|
| Station ID | GA100930 | Name | OZONE EMISSION INC |
| Address | 3635 BUFORD HIGHWAY | City | DULUTH |
| Zip | 30096 | County | GWINNETT |
| Technician Count | 3 | Audit Count | 3 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 17 | 2 | 11.8% |
| Total: | 26 | 2 | 7.7% |

| | | | |
|-------------------------|----------------------|--------------------|------------------------|
| Station ID | GA100934 | Name | EXPRESS OIL CHANGE LLC |
| Address | 3426 S COBB DRIVE SE | City | SMYRNA |
| Zip | 30080 | County | COBB |
| Technician Count | 11 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 5 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100940
Address 442 S GLYNN STREET
Zip 30214
Technician Count 2

Name J & M AUTO SERVICE
City FAYETTEVILLE
County FAYETTE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 7 | 0 | 0.0% |

Station ID GA100949
Address 3540 PEACHTREE INDUSTRIAL BOULEVARD
Zip 30096
Technician Count 10

Name PIEDMONT LUBE CENTERS LLC
City DULUTH
County GWINNETT
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |

Station ID GA100982
Address 3752 VENTURE DRIVE
Zip 30096
Technician Count 1

Name EMISSIONS FIRST
City DULUTH
County GWINNETT
Audit Count 5

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 1 | 50.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 2 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 6 | 3 | 50.0% |
| Total: | 16 | 4 | 25.0% |

Station ID GA100993
Address 5083 OLD NATIONAL HIGHWAY
Zip 30349
Technician Count 5

Name XPRESS LUBE CENTER
City COLLEGE PARK
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 3 | 0 | 0.0% |
| 1993 | 4 | 2 | 50.0% |
| 1994 | 6 | 1 | 16.7% |
| 1995 | 11 | 3 | 27.3% |
| Total: | 24 | 6 | 25.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA100996
Address 2965B PEACHTREE ROAD NE
Zip 30305
Technician Count 2

Name BUCKHEAD EMISSIONS
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1998 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA100999
Address 4801 BUFORD HIGHWAY
Zip 30341
Technician Count 1

Name AUTODAN
City CHAMBLEE
County DEKALB
Audit Count 0

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA101004
Address 179 HAMPTON STREET
Zip 30253
Technician Count 1

Name REDS EMISSIONS & REPAIR
City MCDONOUGH
County HENRY
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 2 | 1 | 50.0% |
| 1995 | 4 | 1 | 25.0% |
| Total: | 6 | 2 | 33.3% |

Station ID GA101009
Address 2313 HENRY CLOWER BOULEVARD
Zip 30078
Technician Count 6

Name SCENIC EMISSIONS LLC
City SNELLVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 3 | 1 | 33.3% |
| 1993 | 4 | 2 | 50.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 11 | 1 | 9.1% |
| Total: | 22 | 4 | 18.2% |

Station ID GA101024
Address 8466 CUMMING HIGHWAY
Zip 30115
Technician Count 1

Name HAYNES EMISSIONS
City CANTON
County CHEROKEE
Audit Count 0

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| 2011 | 1 | 0 | 0.0% |
| Total: | 13 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA101027
Address 6210 SINGLETON ROAD
Zip 30093
Technician Count 7

Name SINGLETON EMISSIONS
City NORCROSS
County GWINNETT
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 9 | 0 | 0.0% |

Station ID GA101049
Address 1801 HIGHWAY 138 NE
Zip 30013
Technician Count 5

Name CONYERS EMISSIONS
City CONYERS
County ROCKDALE
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1997 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA101050
Address 3945 US HIGHWAY 78
Zip 30052
Technician Count 5

Name UNIVERSITY TIRE OF LOGANVILLE
City LOGANVILLE
County GWINNETT
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|---------------|
| 1995 | 1 | 1 | 100.0% |
| Total: | 1 | 1 | 100.0% |

Station ID GA101055
Address 2870 DELK ROAD
Zip 30067
Technician Count 9

Name FAST TRAC CAR WASH 2 LLC
City MARIETTA
County COBB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA101058
Address 6002 HIGHWAY 92
Zip 30134
Technician Count 9

Name SAM EMISSION
City DOUGLASVILLE
County DOUGLAS
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 2 | 66.7% |
| 1992 | 4 | 0 | 0.0% |
| 1993 | 9 | 0 | 0.0% |
| 1994 | 15 | 7 | 46.7% |
| 1995 | 8 | 0 | 0.0% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 40 | 9 | 22.5% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA101068
Address 526 FLINT RIVER ROAD
Zip 30238
Technician Count 2

Name QUICK LOOK EMISSIONS
City JONESBORO
County CLAYTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 9 | 2 | 22.2% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 25 | 2 | 8.0% |

Station ID GA101075
Address 5100 MEMORIAL DRIVE
Zip 30083
Technician Count 10

Name DEKRA EMISSION CHECK
City STONE MOUNTAIN
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 7 | 2 | 28.6% |
| 1994 | 13 | 1 | 7.7% |
| 1995 | 11 | 0 | 0.0% |
| Total: | 34 | 3 | 8.8% |

Station ID GA101079
Address 194 KEYS FERRY STREET
Zip 30253
Technician Count 4

Name A1 EMISSION
City MCDONOUGH
County HENRY
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 5 | 0 | 0.0% |
| 1993 | 3 | 1 | 33.3% |
| 1994 | 19 | 1 | 5.3% |
| 1995 | 7 | 1 | 14.3% |
| Total: | 37 | 3 | 8.1% |

Station ID GA101080
Address 4475 NORTH HENRY BOULEVARD
Zip 30281
Technician Count 8

Name A1 EMISSION
City STOCKBRIDGE
County HENRY
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 12 | 0 | 0.0% |
| 1994 | 23 | 1 | 4.4% |
| 1995 | 32 | 4 | 12.5% |
| 2002 | 1 | 0 | 0.0% |
| Total: | 74 | 6 | 8.1% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA101081
Address 2950 E HIGHWAY 138
Zip 30214
Technician Count 6

Name A1 EMISSION
City FAYETTEVILLE
County FAYETTE
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 3 | 0 | 0.0% |
| 1993 | 5 | 0 | 0.0% |
| 1994 | 25 | 2 | 8.0% |
| 1995 | 20 | 1 | 5.0% |
| 1996 | 1 | 0 | 0.0% |
| 1997 | 1 | 0 | 0.0% |
| Total: | 56 | 3 | 5.4% |

Station ID GA101087
Address 2275 JONESBORO ROAD
Zip 30213
Technician Count 11

Name SPEEDEMISSIONS INC
City FAIRBURN
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 3 | 1 | 33.3% |
| 1992 | 2 | 2 | 100.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 7 | 3 | 42.9% |
| 1995 | 11 | 1 | 9.1% |
| Total: | 26 | 7 | 26.9% |

Station ID GA101088
Address 3079 HIGHWAY 34 E
Zip 30265
Technician Count 9

Name SPEEDEMISSIONS INC
City NEWNAN
County COWETA
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 6 | 1 | 16.7% |
| Total: | 14 | 1 | 7.1% |

Station ID GA101089
Address 15 MCCOLLUM VILLAGE PARKWAY
Zip 30265
Technician Count 9

Name SPEEDEMISSIONS INC
City NEWNAN
County COWETA
Audit Count 6

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1994 | 7 | 1 | 14.3% |
| 1995 | 12 | 1 | 8.3% |
| Total: | 22 | 2 | 9.1% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA101095
Address 3484 CHAMBLEE TUCKER ROAD
Zip 30341
Technician Count 11

Name MISSION EMISSIONS
City CHAMBLEE
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 1 | 0 | 0.0% |
| 1994 | 3 | 0 | 0.0% |
| 1995 | 1 | 0 | 0.0% |
| Total: | 5 | 0 | 0.0% |

Station ID GA102009
Address 7633 HIGHWAY 85
Zip 30274
Technician Count 3

Name LEE'S ELITE AUTO SERVICE LLC
City RIVERDALE
County CLAYTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 2 | 1 | 50.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 12 | 1 | 8.3% |

Station ID GA102019
Address 6065 ATLANTA HIGHWAY
Zip 30004
Technician Count 1

Name CLEARVIEW CARWASH INC
City ALPHARETTA
County FORSYTH
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 1 | 100.0% |
| 1994 | 3 | 1 | 33.3% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 9 | 2 | 22.2% |

Station ID GA102020
Address 4244 ROSWELL ROAD
Zip 30062
Technician Count 1

Name L.L.C.
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 2 | 0 | 0.0% |
| Total: | 2 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA102028
Address 3130 CAMPBELLTON ROAD
Zip 30311
Technician Count 3

Name TWINS EMISSIONS INC
City ATLANTA
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1993 | 2 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 6 | 0 | 0.0% |

Station ID GA102030
Address 4350 JONESBORO ROAD
Zip 30291
Technician Count 9

Name YEAR ROUND EMISSIONS
City UNION CITY
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 6 | 0 | 0.0% |
| Total: | 19 | 0 | 0.0% |

Station ID GA102048
Address 1830 MARS HILL ROAD
Zip 30101
Technician Count 4

Name AMERICA'S SERVICE STATION
City ACWORTH
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1995 | 2 | 1 | 50.0% |
| Total: | 2 | 1 | 50.0% |

Station ID GA102056
Address 2058 MOUNT ZION ROAD
Zip 30260
Technician Count 11

Name A1 EMISSION
City MORROW
County CLAYTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1992 | 2 | 1 | 50.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 5 | 0 | 0.0% |
| 1995 | 9 | 3 | 33.3% |
| Total: | 19 | 4 | 21.1% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA102065
Address 7530 HIGHWAY 85
Zip 30274
Technician Count 1

Name DAE1
City RIVERDALE
County FULTON
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1993 | 1 | 1 | 100.0% |
| 1994 | 2 | 1 | 50.0% |
| Total: | 3 | 2 | 66.7% |

Station ID GA102066
Address 2448 CHESHIRE BRIDGE ROAD NE
Zip 30324
Technician Count 3

Name YOU PASSED EMISSIONS
City ATLANTA
County FULTON
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 1 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 5 | 0 | 0.0% |

Station ID GA102072
Address 2712 POWDER SPRINGS ROAD
Zip 30064
Technician Count 7

Name BERHAN EMISSIONS
City MARIETTA
County COBB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 2008 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA102084
Address 7411 SOUTHLAKE PARKWAY
Zip 30236
Technician Count 7

Name A1 EMISSION
City JONESBORO
County CLAYTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1992 | 2 | 0 | 0.0% |
| 1993 | 5 | 2 | 40.0% |
| 1994 | 9 | 0 | 0.0% |
| 1995 | 12 | 1 | 8.3% |
| Total: | 29 | 3 | 10.3% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|--------------------------|--------------------|---------------------------|
| Station ID | GA102115 | Name | STAR EMISSION SERVICE LLC |
| Address | 901 CHATTAHOOCHEE AVENUE | City | ATLANTA |
| Zip | 30318 | County | FULTON |
| Technician Count | 3 | Audit Count | 5 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1991 | 3 | 0 | 0.0% |
| 1992 | 1 | 0 | 0.0% |
| 1993 | 8 | 1 | 12.5% |
| 1994 | 11 | 0 | 0.0% |
| 1995 | 22 | 0 | 0.0% |
| Total: | 45 | 1 | 2.2% |

| | | | |
|-------------------------|------------------|--------------------|---------------------|
| Station ID | GA102125 | Name | DUAL AUTOMOTIVE LLC |
| Address | 3940 JODECO ROAD | City | MCDONOUGH |
| Zip | 30253 | County | HENRY |
| Technician Count | 3 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| 1995 | 2 | 0 | 0.0% |
| Total: | 3 | 0 | 0.0% |

| | | | |
|-------------------------|------------------|--------------------|----------------|
| Station ID | GA102141 | Name | JUST EMISSIONS |
| Address | 2950 HIGHWAY 138 | City | FAYETTEVILLE |
| Zip | 30214 | County | FAYETTE |
| Technician Count | 4 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|-------------|
| 1992 | 2 | 0 | 0.0% |
| 1993 | 4 | 0 | 0.0% |
| 1994 | 7 | 0 | 0.0% |
| 1995 | 10 | 1 | 10.0% |
| Total: | 23 | 1 | 4.3% |

| | | | |
|-------------------------|-------------------------|--------------------|-------------------------|
| Station ID | GA102155 | Name | JOHNS CREEK EMISSION SB |
| Address | 10870 STATE BRIDGE ROAD | City | JOHNS CREEK |
| Zip | 30022 | County | FULTON |
| Technician Count | 9 | Audit Count | 4 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| 1993 | 3 | 0 | 0.0% |
| 1994 | 1 | 0 | 0.0% |
| 1995 | 4 | 0 | 0.0% |
| Total: | 9 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

Station ID GA102156
Address 3368 E PONCE DE LEON AVENUE
Zip 30079
Technician Count 2

Name HAMDI EMISSION LLC
City SCOTTTDALE
County DEKALB
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1992 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA102173
Address 3450 CASCADE ROAD
Zip 30311
Technician Count 2

Name EMISSIONS AT CASCADE
City ATLANTA
County FULTON
Audit Count 2

| Model Year | Total | Fail | % Failed |
|---------------|-----------|----------|--------------|
| 1991 | 1 | 0 | 0.0% |
| 1994 | 4 | 0 | 0.0% |
| 1995 | 7 | 3 | 42.9% |
| Total: | 12 | 3 | 25.0% |

Station ID GA102185
Address 4556 E PONCE DE LEON AVENUE
Zip 30021
Technician Count 2

Name M. EMISSIONS
City CLARKSTON
County DEKALB
Audit Count 4

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1995 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |

Station ID GA102196
Address 4800 REDAN ROAD
Zip 30088
Technician Count 1

Name CORRECT EMISSIONS LLC
City STONE MOUNTAIN
County DEKALB
Audit Count 3

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|--------------|
| 1994 | 2 | 1 | 50.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 5 | 1 | 20.0% |

Station ID GA102198
Address 7865 HIGHWAY 74
Zip 30213
Technician Count 4

Name YEAR ROUND EMISSIONS
City FAIRBURN
County FULTON
Audit Count 1

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1991 | 1 | 0 | 0.0% |
| 1994 | 2 | 0 | 0.0% |
| 1995 | 3 | 0 | 0.0% |
| Total: | 6 | 0 | 0.0% |



State of Georgia
Inspection Station Information by Test Type - TSI
Reporting Period: 01/01/2015 – 12/31/2015

| | | | |
|-------------------------|---------------------------|--------------------|---------------------------|
| Station ID | GA102205 | Name | CHAMBLEE TUCKER EMISSIONS |
| Address | 3484 CHAMBLEE TUCKER ROAD | City | CHAMBLEE |
| Zip | 30341 | County | DEKALB |
| Technician Count | 6 | Audit Count | 1 |

| Model Year | Total | Fail | % Failed |
|---------------|----------|----------|-------------|
| 1994 | 1 | 0 | 0.0% |
| Total: | 1 | 0 | 0.0% |